



US00D838388S

(12) **United States Design Patent** (10) **Patent No.:** **US D838,388 S**
Parker (45) **Date of Patent:** **** Jan. 15, 2019**

(54) **POLE GRAB**
(71) Applicant: **WERNER CO.**, Greenville, PA (US)
(72) Inventor: **Tom Parker**, Jamestown, PA (US)
(73) Assignee: **WERNER CO.**, Greenville, PA (US)
(**) Term: **15 Years**

5,638,916 A 6/1997 Schneider
6,250,424 B1 6/2001 Laug
6,830,128 B2 12/2004 Burgeson
D513,975 S * 1/2006 Falconer D12/604
D553,485 S * 10/2007 Hall D8/396
(Continued)

(21) Appl. No.: **29/625,798**
(22) Filed: **Nov. 13, 2017**

FOREIGN PATENT DOCUMENTS

EP 0 232 206 A2 8/1987
EP 1 967 688 A2 9/2008

(51) **LOC (11) Cl.** **25-04**
(52) **U.S. Cl.**
USPC **D25/68**; D8/396
(58) **Field of Classification Search**
USPC D25/62-69; 248/218.4, 219.3, 447.2,
248/313, 68.1, 231.71, 230.1, 316.1,
248/316.5, 68 PP, 297.31; D8/395, 396;
D24/128; 24/279; D12/604
CPC .. F16M 13/022; F16M 11/24; F16M 2200/02;
E04G 7/20
See application file for complete search history.

OTHER PUBLICATIONS

Ladder Safety Solutions Inc., Safe T Claw "Extension Ladder Pole-Clamping Device", <http://www.laddersafety.com/safetclaw.html>, 2017, 3 pp.

Primary Examiner — Cynthia Ramirez
Assistant Examiner — Gino Colan
(74) *Attorney, Agent, or Firm* — Eckert Seamans Cherin & Mellott, LLC; Nathaniel C. Wilks

(56) **References Cited**

(57) **CLAIM**

The ornamental design for a pole grab, as shown and described.


U.S. PATENT DOCUMENTS

DESCRIPTION

1,961,289 A 6/1934 Gardner
3,715,012 A 2/1973 Perry
3,995,714 A 12/1976 Brookes et al.
4,018,301 A 4/1977 Nameche
4,090,587 A 5/1978 Pyle
4,363,378 A 12/1982 Williams et al.
4,467,890 A 8/1984 McCallum et al.
4,469,195 A 9/1984 Sartain
4,552,246 A 11/1985 Thomas
4,946,004 A 8/1990 Henson
4,995,476 A 2/1991 Buck
5,054,581 A 10/1991 Henson
5,279,390 A 1/1994 Phillips
D344,449 S * 2/1994 Ward D8/395
5,332,063 A 7/1994 Amacker
5,344,112 A * 9/1994 Peterson B60H 1/3229
24/279
5,368,127 A 11/1994 Phillips

FIG. 1 is an rear-upper left perspective view of a pole grab showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The broken lines shown in the figures are for the purpose of illustrating portions of the pole grab and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|------|---------|---------------------|--------------------------|
| D622,585 | S * | 8/2010 | Walker, Jr. | D8/396 |
| 7,784,744 | B2 * | 8/2010 | Becker | F16L 3/02 248/218.4 |
| 7,963,368 | B2 | 6/2011 | Scudera et al. | |
| 8,011,476 | B1 | 9/2011 | Alcon | |
| 8,083,192 | B2 | 12/2011 | Wells et al. | |
| 8,381,877 | B1 | 2/2013 | Freund | |
| 8,528,695 | B1 | 9/2013 | Orpia | |
| 8,534,629 | B2 * | 9/2013 | Hennings | B63C 11/22 248/297.31 |
| 8,684,138 | B1 | 4/2014 | Marsh, II | |
| 8,794,383 | B2 | 8/2014 | Furseth et al. | |
| 8,997,932 | B1 | 4/2015 | Ochoa | |
| D754,530 | S * | 4/2016 | Schroeder | D8/396 |
| 9,540,875 | B2 | 1/2017 | Ellis | |
| 9,593,951 | B2 | 3/2017 | Strietzel et al. | |
| D820,443 | S * | 6/2018 | Reinberg | D24/128 |
| 2002/0108811 | A1 | 8/2002 | Ulmschneider et al. | |
| 2004/0216955 | A1 | 11/2004 | Unger | |
| 2009/0242328 | A1 | 10/2009 | Cabrera et al. | |
| 2010/0018803 | A1 | 1/2010 | Schwenke et al. | |
| 2010/0213009 | A1 | 8/2010 | Guinovart et al. | |
| 2014/0166397 | A1 | 6/2014 | Reynolds | |
| 2016/0227761 | A1 | 8/2016 | Overbaugh | |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7