



US00D838451S

(12) **United States Design Patent**  
**Dolce et al.**(10) **Patent No.:** **US D838,451 S**  
(45) **Date of Patent:** \*\* Jan. 22, 2019(54) **SHOE SOLE**(71) Applicant: **DOLCE & GABBANA S.r.l.**, Milan  
(IT)(72) Inventors: **Domenico Dolce**, Milan (IT); **Stefano Gabbana**, Milan (IT)(73) Assignee: **DOLCE & GABBANA S.R.L.**, Milan  
(IT)(\*\*) Term: **15 Years**(21) Appl. No.: **29/587,695**(22) Filed: **Dec. 15, 2016**(30) **Foreign Application Priority Data**

Jun. 16, 2016 (EM) ..... 003225762

(51) **LOC (11) Cl.** ..... **02-04**(52) **U.S. Cl.**USPC ..... **D2/952**; D2/950; D2/951(58) **Field of Classification Search**USPC ..... D2/902, 906, 908, 916, 918, 925,  
D2/946-962, 977; 36/3 B, 22 R, 24.5,  
36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103  
CPC ..... A43B 13/00; A43B 13/02; A43B 13/023;  
A43B 13/026; A43B 13/04; A43B 13/08;  
A43B 13/10; A43B 13/12; A43B 13/14;  
A43B 13/141; A43B 13/143; A43B  
13/16; A43B 13/18; A43B 13/181; A43B  
13/187; A43B 13/189; A43B 13/20; A43B  
13/22; A43B 13/223; A43B 13/24; A43B  
13/28; A43B 13/30; A43B 13/32; A43B  
13/34; A43B 13/36

See application file for complete search history.

(56) **References Cited**

## U.S. PATENT DOCUMENTS

202,082 A \* 4/1878 Whittemore ..... A43B 13/223  
36/32 R294,174 A \* 2/1884 Williams ..... A43B 7/125  
36/14

1,322,955 A \* 11/1919 Roth ..... A43B 13/12

12/146 B

1,597,685 A \* 8/1926 Kelly ..... A43B 13/141

12/142 B

1,894,561 A \* 1/1933 Guiffre ..... A43B 3/124

36/11

(Continued)

*Primary Examiner* — T Chase Nelson(74) *Attorney, Agent, or Firm* — Jacobson Holman,  
PLLC.(57) **CLAIM**

We claim the ornamental design for a shoe sole, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the shoe sole showing a first embodiment having a pointed toe;

FIG. 2 is a rear perspective view of thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a perspective view from one side;

FIG. 5 is a perspective view from the other side;

FIG. 6 is an elevational view of one side;

FIG. 7 is a front elevational view;

FIG. 8 is a rear elevational view;

FIG. 9 is an elevational view of the other side;

FIG. 10 is a front perspective view of the shoe sole showing a second embodiment having a rounded toe;

FIG. 11 is a rear perspective view of thereof;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is a perspective view from one side;

FIG. 14 is a perspective view from the other side;


FIG. 15 is an elevational view of one side;

FIG. 16 is a front elevational view;

FIG. 17 is a rear elevational view; and,

FIG. 18 is an elevational view of the other side.

The tail heel portion at the rear end of the shoe sole is shown in a flattened state.

**1 Claim, 8 Drawing Sheets**

(56)

**References Cited**

**U.S. PATENT DOCUMENTS**

- 2,139,260 A \* 12/1938 Cuozzo ..... A43B 7/1425  
12/146 BP  
4,400,893 A \* 8/1983 Musci ..... A43B 13/34  
12/142 J  
D468,080 S \* 1/2003 Matis ..... D2/952  
D558,961 S \* 1/2008 Wilkinson ..... D2/925  
D587,886 S \* 3/2009 Neate ..... D2/916  
D587,887 S \* 3/2009 Neate ..... D2/916  
D594,637 S \* 6/2009 Van Hulle ..... D2/925  
D668,846 S \* 10/2012 Wang ..... D2/925  
D668,850 S \* 10/2012 Pozzi ..... D2/925  
D669,668 S \* 10/2012 Paciotti ..... D2/950  
D716,533 S \* 11/2014 Silverman ..... A43B 13/34  
D2/948  
D726,400 S \* 4/2015 Nilsson ..... A43B 7/1425  
D2/961  
D740,005 S \* 10/2015 Silverman ..... A43B 13/141  
D2/950  
D756,090 S \* 5/2016 Silverman ..... A43B 13/12  
D2/950  
D757,410 S \* 5/2016 Silverman ..... A43B 13/223  
D2/950  
D765,958 S \* 9/2016 Silverman ..... A43B 7/125  
D2/950  
D797,419 S \* 9/2017 Haydel ..... D2/947  
D798,035 S \* 9/2017 McDonald ..... D2/947


\* cited by examiner




**FIG. 1**



**FIG. 2**



**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**



**FIG. 8**




**FIG. 9**




**FIG. 10**




**FIG. 11**



**FIG. 12**



**FIG. 13**



**FIG. 14**



**FIG. 15**



**FIG. 16**



**FIG. 17**



**FIG. 18**