



US00D838603S

(12) **United States Design Patent**
Kim

(10) **Patent No.:** **US D838,603 S**
(45) **Date of Patent:** **** Jan. 22, 2019**

(54) **TUBE CONTAINER FOR PACKING COSMETICS**

DESCRIPTION

- (71) Applicant: **YONWOO CO., LTD.**, Incheon (KR)
- (72) Inventor: **Min-goo Kim**, Incheon (KR)
- (73) Assignee: **YONWOO CO., LTD.**, Incheon (KR)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/625,464**
- (22) Filed: **Nov. 9, 2017**
- (51) **LOC (11) Cl.** **09-05**
- (52) **U.S. Cl.**
USPC **D9/697**
- (58) **Field of Classification Search**
USPC D9/702-714, 695-699, 435, 440, 521,
D9/454, 544, 723-724, 499, 449,
D9/727-728, 441, 447, 504; 222/92, 96,
222/107, 527-529, 215, 491, 206,
222/212-213, 251, 95, 536; 206/438,
206/822; 220/DIG. 7, 669; 215/321,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D547,672 S * 7/2007 Penfold D9/697
 - D551,088 S * 9/2007 Dittmer D9/697
- (Continued)

Primary Examiner — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Marshall, Gerstein & Borun LLP

(57) **CLAIM**

The ornamental design for a tube container for packing cosmetics, as shown and described.

FIG. 1 is an orthographic front, top, and left-side view of a tube container for packing cosmetics, showing my new design in a first configuration in which an applicator is in a descended state according to a first position of a cap;

FIG. 2 is a left-side elevation view of the tube container for packing cosmetics in the first configuration;

FIG. 3 is a right-side elevation view of the tube container for packing cosmetics in the first configuration;

FIG. 4 is a rear elevation view of the tube container for packing cosmetics in the first configuration;

FIG. 5 is a front elevation view of the tube container for packing cosmetics in the first configuration;

FIG. 6 is an enlarged top plan view of the tube container for packing cosmetics in the first configuration;

FIG. 7 is an enlarged bottom plan view of the tube container for packing cosmetics in the first configuration;

FIG. 8 is an orthographic front, top, and left-side view of a tube container for packing cosmetics, showing my new design in a second configuration in which the applicator is in an ascended state resulting from rotation of the cap from the first position to a second position;

FIG. 9 is a left-side elevation view of the tube container for packing cosmetics in the second configuration;

FIG. 10 is a right-side elevation view of the tube container for packing cosmetics in the second configuration;


FIG. 11 is a rear elevation view of the tube container for packing cosmetics in the second configuration;

FIG. 12 is a front elevation view of the tube container for packing cosmetics in the second configuration;

FIG. 13 is an enlarged top plan view of the tube container for packing cosmetics in the second configuration; and,

FIG. 14 is an enlarged bottom plan view of the tube container for packing cosmetics in the second configuration. The applicator at the top ascends as the cap body rotates one way, and descends as it rotates the other way.

1 Claim, 14 Drawing Sheets



(58) **Field of Classification Search**

USPC 215/381, 382, 316, 380; 141/114-115;
D28/91.1, 76-78, 88, 82; D24/114;
D7/601, 602; D3/202, 205
CPC B65D 35/00; B65D 35/28; B65D 35/02;
B65D 35/04; B65D 35/08; B65D 35/36;
B65D 35/38; B65D 5/00; B65D 5/001
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D626,860	S	*	11/2010	Oates	D9/699
D676,333	S	*	2/2013	Fracasso	D9/697
D699,587	S	*	2/2014	Pilon	D9/697
D766,098	S	*	9/2016	Seo	D9/695
D766,100	S	*	9/2016	Jung	D9/697
D816,509	S	*	5/2018	Jung	D9/697
D821,222	S	*	6/2018	Kim	D9/697

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14