

US00D838668S

(12) **United States Design Patent** (10) **Patent No.:** **US D838,668 S**
Westfall et al. (45) **Date of Patent:** **** Jan. 22, 2019**

(54) **ELECTRICAL CHARGING STATION**

60/50; Y02T 90/14; Y02T 90/122; Y02T
90/128; Y02T 90/163; H05K 11/02

(71) Applicant: **Tesla, Inc.**, Palo Alto, CA (US)

See application file for complete search history.

(72) Inventors: **Mark Westfall**, San Francisco, CA
(US); **Javier Verdura**, Rancho Palos
Verdes, CA (US); **Caroline Park**, Los
Angeles, CA (US); **Paul Baron**
Guerra, Redwood City, CA (US);
Joshua Ferguson, Mill Valley, CA (US)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D676,376	S	*	2/2013	Yamada		D13/107
D729,157	S	*	5/2015	Gilomen		D13/107
D729,158	S	*	5/2015	Gilomen		D13/107
D749,503	S	*	2/2016	Ferguson		D13/107
D771,562	S	*	11/2016	Dolle		D13/107

(Continued)

Primary Examiner — Rosemary K Tarcza

Assistant Examiner — Christy M Nemeth

(74) *Attorney, Agent, or Firm* — Dentons US LLP

(**) Term: **15 Years**

(21) Appl. No.: **29/606,286**

(22) Filed: **Jun. 2, 2017**

(51) **LOC (11) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/107**

(58) **Field of Classification Search**

USPC D13/102, 103, 104, 105, 106, 107, 108,
D13/109, 110, 118, 119, 184, 199;
D14/203.3–203.8, 217, 248, 250–253,
D14/432, 434, 440, 450, 496; D3/201,
D3/218, 269, 301, 273, 303
CPC H02J 2001/008; H02J 3/32; H02J 3/008;
H02J 7/0027; H02J 7/0013; H02J 7/0054;
H02J 7/00; H02J 7/025; H02J 7/0042;
H02J 7/0044; H02J 7/0045; H02J 7/0003;
H02J 7/0055; H02J 7/0057; B60L 16/03;
B60L 11/1809; B60L 11/1861; B60L
11/182; H01R 13/6675; H01R 13/70;
H01R 13/71; H01R 13/66; H01R
2201/26; H01M 2/1022; H01M 2/1055;
H01M 10/44; H01M 10/46; H01M
10/425; H01M 2/02; H01M 2/022; H01M
2/0202; H01M 2/0207; H01M 2/0212;
H01M 10/4257; H01M 10/0436; H01M
10/48; H01M 2200/30; H01M 2250/30;
H01M 2250/40; H01F 38/14; Y02E
60/12; Y02E 60/122; Y02E 60/124; Y02E

(57) **CLAIM**

The ornamental design for an electrical charging station, as
shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of
an electrical charging station;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a left-side view thereof;

FIG. 6 is a right-side view thereof;


FIG. 7 is a top view thereof; and,

FIG. 8 is a front perspective of a second embodiment of the
electrical charging station, wherein the solid black shading
represents the color black; and,

FIG. 9 is a rear perspective thereof.

The broken lines in the drawings are for the purpose of
illustrating portions of the electrical charging station that
form no part of the claimed design. The symbols for the
color silver in FIGS. 8 and 9 form no part of the claimed
design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D778,818 S *	2/2017	Bruining	D13/107
2011/0145141 A1 *	6/2011	Blain	B60L 3/0069
			705/39
2011/0174875 A1 *	7/2011	Wurzer	B60L 11/1816
			235/380
2013/0337669 A1 *	12/2013	Najera	B60L 11/1818
			439/133
2016/0121747 A1 *	5/2016	Jefferies	H01H 3/16
			320/109

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9