



US00D838724S

(12) **United States Design Patent** (10) **Patent No.:** **US D838,724 S**
Olander (45) **Date of Patent:** **** Jan. 22, 2019**

(54) **STAND FOR SUPPORTING A COMPUTING DEVICE**

(71) Applicant: **James D. Olander**, Denver, CO (US)

(72) Inventor: **James D. Olander**, Denver, CO (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/626,806**

(22) Filed: **Nov. 20, 2017**

Related U.S. Application Data

(63) Continuation of application No. 15/143,276, filed on Apr. 29, 2016, now Pat. No. 9,894,988.

(51) **LOC (11) Cl.** **08-07**

(52) **U.S. Cl.**
USPC **D14/447**

(58) **Field of Classification Search**
USPC D14/447, 432, 434, 439, 440, 451, 452,
D14/457, 239; D8/363, 373, 380;
D6/406.3, 406.4, 406.5, 406.6; D12/415;
D13/108, 144

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,840,620	A	1/1932	Dennis
2,373,617	A	4/1945	Tiryakian
3,991,967	A	11/1976	Sack
5,149,046	A	9/1992	Kerley
5,492,299	A	2/1996	Thermos et al.
5,651,525	A	7/1997	Yang
5,797,578	A	8/1998	Graffeo et al.
5,833,178	A	11/1998	Plasse et al.
5,845,889	A	12/1998	Suzuki
6,676,100	B2	1/2004	Hsu

8,020,818	B2	9/2011	Chou et al.	
D677,262	S *	3/2013	Lewis	D14/447
D689,500	S *	9/2013	Faulk	D14/447
8,534,619	B2	9/2013	Du et al.	
D694,761	S *	12/2013	Zoll	D14/447
D696,261	S *	12/2013	Weldon	D14/447
D701,212	S *	3/2014	Blevins	D14/447
8,708,298	B2	4/2014	Hu et al.	
D704,195	S *	5/2014	Marquette	D14/447
D704,714	S *	5/2014	Christiano	D14/447
8,899,543	B2	12/2014	Liang et al.	
9,104,372	B2	8/2015	Frenzel	
9,211,001	B2	12/2015	Negretti	
D757,019	S *	5/2016	Pitteri	D14/447
D764,478	S *	8/2016	Radmard	H04M 1/185 D14/250
D770,460	S *	11/2016	Won	D14/451

(Continued)

Primary Examiner — Angela J Lee

(74) *Attorney, Agent, or Firm* — Dorsey & Whitney LLP


(57) **CLAIM**

I claim the ornamental design for a stand for supporting a computing device, as shown and described.

DESCRIPTION

FIG. 1 is a top front isometric view of a stand for supporting a computing device in accordance with the present design. FIG. 2 is a top rear isometric view thereof. FIG. 3 is a front elevation view thereof. FIG. 4 is a rear elevation view thereof. FIG. 5 is a right side elevation view thereof. FIG. 6 is a left side elevation view thereof. FIG. 7 is a top plan view thereof; and, FIG. 8 is a bottom plan view thereof. The broken lines illustrate portions of the stand for supporting a computing device that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

9,482,383	B1	11/2016	Wei	
D783,628	S *	4/2017	Pitteri	D14/447
D792,417	S *	7/2017	Xiang	D14/447
10,070,719	B2	9/2018	Olander	
10,098,452	B2	10/2018	Ko	
2005/0103969	A1	5/2005	Gaines	
2006/0108494	A1	5/2006	Lancet	
2009/0179132	A1	7/2009	Qin et al.	
2010/0213330	A1	8/2010	Downing	
2011/0226916	A1	9/2011	Leung et al.	
2012/0145835	A1	6/2012	Zaharakis et al.	
2012/0210912	A1	8/2012	Florendo	
2013/0001379	A1	1/2013	Hobbs	
2013/0048801	A1	2/2013	Weinberg	
2013/0277529	A1	10/2013	Bolliger	
2014/0110556	A1	4/2014	Mao	
2014/0124631	A1 *	5/2014	Olander	F16M 11/10 248/164
2016/0138753	A1	5/2016	Crossland	
2018/0125229	A1	5/2018	Olander	
2018/0192770	A1	7/2018	Lu	
2018/0252353	A1	9/2018	Hou	

* cited by examiner





FIG. 1






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8