



US00D838770S

(12)

United States Design Patent

Sato et al.

(10) Patent No.: US D838,770 S

(45) Date of Patent: ** Jan. 22, 2019

(54) LABEL PRINTER

(71) Applicant: **BROTHER INDUSTRIES, LTD.**,
Nagoya-shi, Aichi-ken (JP)

(72) Inventors: **Yukihiko Sato**, Nagoya (JP); **Toshihiro Takahashi**, Nagoya (JP); **Nobuyuki Iwai**, Chita-gun (JP); **Kazuhisa Tashima**, Nagoya (JP); **Takaaki Oguchi**, Kasugai (JP)

(73) Assignee: **BROTHER INDUSTRIES, LTD.**,
Nagoya (JP)

(**) Term: 15 Years

(21) Appl. No.: 29/615,034

(22) Filed: Aug. 25, 2017

(30) Foreign Application Priority Data

Mar. 16, 2017 (JP) 2017-005343

(51) LOC (11) Cl. 18-99

(52) U.S. Cl.
USPC D18/19

(58) Field of Classification Search

USPC D18/19, 14, 50, 53, 54, 56, 59, 36, 38,
D18/39, 40, 41, 45, 34.4, 34.5, 34.6, 15,
D18/16, 17, 18; D14/314, 332, 348-349,
D14/351, 352; D19/68

CPC B41J 3/4075; B65C 11/00; B65C 11/02;
B65C 11/0205; B65C 11/021; B65C
11/0215; B65C 11/0221; B65C 11/0226;
B65C 11/0231; B65C 11/0236; B65C
11/0242; B65C 11/0252; B65C 11/0257;
B65C 11/0268; B65C 11/0273; B65C
11/0284; B65C 11/0289; B65C 11/0294;
B65C 11/04; B65C 11/046; B65C 11/06;
B65C 11/062; B65C 11/064; B65C
11/066; B65C 11/068

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D359,040	S	*	6/1995	Nakamura		D14/426
D414,470	S	*	9/1999	Chacon		D14/341
D429,226	S	*	8/2000	Siddoway		D14/347
D473,872	S	*	4/2003	Ausems		D14/420
D496,683	S	*	9/2004	Matsumoto		D18/19
D524,813	S	*	7/2006	Nakajima		D14/426
(Continued)						

FOREIGN PATENT DOCUMENTS

GB 2071649 * 12/1998

OTHER PUBLICATIONS

YouTube. <URL: <https://www.youtube.com/watch?v=Et4z3tOltB0>>
Nov. 11, 2016. The 6 Best Handheld Label Printers 2017.*

Primary Examiner — Bridget L Eland
Assistant Examiner — Lauren D McVey
(74) Attorney, Agent, or Firm — Oliff PLC

(57) CLAIM

The ornamental design for a label printer, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a label printer showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a right-side elevational view thereof;
FIG. 5 is a left-side elevational view thereof;
FIG. 6 is a rear elevational view thereof; and,
FIG. 7 is a bottom plan view thereof.

The broken lines immediately adjacent the shaded areas represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only.

The broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D526,004 S *	8/2006	Obenshain	D18/19
7,344,323 B2 *	3/2008	Fries	B41J 3/4075
			400/611
D619,164 S *	7/2010	Swier	D14/426
D658,174 S *	4/2012	Tasselli	D14/347
D705,346 S *	5/2014	Blacken	D18/14
D723,605 S *	3/2015	Palm	D16/206
2018/0029389 A1 *	2/2018	Ando	B41J 15/02

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7