



US00D838816S

(12) **United States Design Patent** (10) **Patent No.:** **US D838,816 S**
Gerger (45) **Date of Patent:** **** Jan. 22, 2019**

(54) **OUTLET**

(71) Applicant: **Foolproof AB**, Knivsta (SE)

(72) Inventor: **Patrik Gerger**, Knivsta (SE)

(73) Assignee: **FOOLPROOF AB**, Knivsta (SE)

(**) Term: **15 Years**

(21) Appl. No.: **29/579,882**

(22) Filed: **Oct. 4, 2016**

(30) **Foreign Application Priority Data**

Apr. 4, 2016 (EM) 003054865-0001

(51) **LOC (11) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/260**

(58) **Field of Classification Search**

USPC D23/259–261, 262, 208–210, 304, 227,
D23/233–237, 269, 213–214; 210/164,
210/163, 156, 232, 157–159, 162, 165,
210/459–460; 4/222.1, 255.07, 286–294,
4/680–682, 694, 2–4, 295, 609, 650–653,
4/671–674, 490, 496, 541.6, 501, 505,
4/507; 405/42; 239/548, 552, 555–556,
239/558, 592; 137/454.2
CPC ... E03C 1/23; E03C 1/26; E03C 1/262; E03C
1/22; E03C 1/264; E03C 1/03; E03C
1/232; E03C 1/24; E03C 1/28; E03C
1/298; E03F 5/06; E03F 5/0407; E03F
5/052; E03F 5/0404; F15D 1/0005; A47K
1/14; B01D 39/16; F16L 33/227; F16L
33/22; F16L 37/252; F16L 25/0018; F16L
29/007; F16L 31/00; F16K 21/60; F16K
51/00; E03B 7/09

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,323,224 A * 6/1943 Kuhnle E03C 1/26
4/286
D221,942 S * 9/1971 Halling D23/262
D261,418 S * 10/1981 Jackson D23/261
D263,163 S * 2/1982 Olde D23/262
D418,907 S * 1/2000 Minnick D23/260
6,197,321 B1 * 3/2001 Richter A61L 2/18
4/290
D441,848 S * 5/2001 Huang D23/261
D517,664 S * 3/2006 Hill D23/261
D624,631 S * 9/2010 Cantrill D23/261
D722,680 S * 2/2015 Kang D23/261
2007/0033725 A1 * 2/2007 Holtsnider A61H 33/027
4/541.6
2012/0261355 A1 * 10/2012 Curt B01D 29/21
210/767
2013/0327696 A1 * 12/2013 Bagci F02M 37/22
210/232
2017/0121953 A1 * 5/2017 Benesh E03C 1/298

* cited by examiner

Primary Examiner — Eric L Goodman

Assistant Examiner — Amy C Wierenga

(74) *Attorney, Agent, or Firm* — Fox Rothschild LLP

(57) **CLAIM**

The ornamental design for an outlet, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an outlet according to the new design;



FIG. 2 is a side view thereof;

FIG. 3 is a top plan view thereof; and,

FIG. 4 is a bottom view thereof.

The dashed broken lines depict portions of the outlet that form no part of the claim.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4