



US00D839012S

(12) **United States Design Patent**
Hodder et al.

(10) **Patent No.:** **US D839,012 S**
(45) **Date of Patent:** **** Jan. 29, 2019**

(54) **VEHICLE SEAT**

(71) Applicant: **Jaguar Land Rover Limited**, Whitley,
Coventry (GB)

(72) Inventors: **Jonathan Hodder**, Coventry (GB);
Paul Ray, Coventry (GB); **Paul
Hanstock**, Coventry (GB)

(73) Assignee: **Jaguar Land Rover Limited**, Whitley,
Coventry (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/622,575**

(22) Filed: **Oct. 18, 2017**

(30) **Foreign Application Priority Data**

Apr. 21, 2017 (EM) 003866953

(51) **LOC (11) Cl.** **06-01**

(52) **U.S. Cl.**
USPC **D6/356**

(58) **Field of Classification Search**
USPC D6/334, 356, 360, 369, 370, 374, 376,
D6/716, 716.1, 716.2, 716.3, 716.4,
D6/716.5, 716.7; D21/521, 533, 548
CPC A61H 2201/0149; B60N 2/06; B60N 2/20;
B60N 2/22; B60N 2/58; B60N 2/68;
B60N 2/80; B60N 2/643; B60N 2/888;
B60N 2/859; B60N 2/1615; B60N
2/7035; B60N 2/42745; B60N 2002/0272;
B60N 2205/35

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D535,485 S * 1/2007 Moburg D6/356
D592,413 S * 5/2009 Higashida D6/356
9,415,709 B2 * 8/2016 Ito B60N 2/68
D771,398 S * 11/2016 Buffery D6/356
9,623,770 B2 * 4/2017 Furuta B60N 2/68

D801,065 S * 10/2017 Willis D6/356
D804,206 S * 12/2017 Varga D6/356
D805,312 S * 12/2017 Varga D6/356
D824,184 S * 7/2018 Willis D6/356
10,011,201 B2 * 7/2018 Nitsuma B60N 2/4228

* cited by examiner

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Paul D Bohannon

(74) *Attorney, Agent, or Firm* — Wood Herron & Evans
LLP

(57) **CLAIM**

The ornamental design for a vehicle seat, as shown and
described.

DESCRIPTION

FIG. 1 is a front right perspective view of a seat for a vehicle
according to the present invention.

FIG. 2 is a front left perspective view of the seat shown in
FIG. 1.

FIG. 3 is a rear left perspective view thereof.

FIG. 4 is a rear right perspective view thereof.

FIG. 5 is a front view thereof.

FIG. 6 is a rear view thereof.

FIG. 7 is a left side view thereof.

FIG. 8 is a right side view thereof.

FIG. 9 is a top view thereof.

FIG. 10 is a front right perspective view of a seat for a
vehicle according to an alternative embodiment of the
present invention.

FIG. 11 is a front left perspective view of the seat shown in
FIG. 10.

FIG. 12 is a rear right perspective view thereof.

FIG. 13 is a rear left perspective view thereof.

FIG. 14 is a front view thereof.

FIG. 15 is a rear view thereof.

FIG. 16 is a left side view thereof.

FIG. 17 is a right side view thereof; and,

FIG. 18 is a top view thereof.

1 Claim, 18 Drawing Sheets






FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5




FIG. 6



FIG. 7



FIG. 8




FIG. 9



FIG. 10



FIG. 11




FIG. 12




FIG. 13



FIG. 14




FIG. 15



FIG. 16



FIG. 17




FIG. 18