



US00D839268S

(12) **United States Design Patent**  
**Spio**

(10) **Patent No.:** **US D839,268 S**  
(45) **Date of Patent:** **\*\* Jan. 29, 2019**

(54) **VIRTUAL REALITY AND AUGMENTED REALITY HEADSET PHONE CASE**

(71) Applicant: **Mary A Spio**, Miami Beach, FL (US)

(72) Inventor: **Mary A Spio**, Miami Beach, FL (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/557,023**

(22) Filed: **Mar. 4, 2016**

(51) **LOC (11) Cl.** ..... **14-02**

(52) **U.S. Cl.**  
USPC ..... **D14/372**

(58) **Field of Classification Search**  
USPC ..... D14/372, 496, 432, 371, 125, 126, 129,  
D14/299; D16/300-342; 351/158, 153,  
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D750,074 S \* 2/2016 Coz ..... D14/372  
D755,789 S \* 5/2016 Lyons ..... D14/372  
(Continued)

*Primary Examiner* — Austin Murphy

(57) **CLAIM**

The ornamental design for a virtual reality and augmented reality headset phone case, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the virtual reality and augmented reality headset phone case with its temple elements in an open configuration.

FIG. 2 is a rear view of the virtual reality and augmented reality headset phone case with its temple elements in a closed configuration.

FIG. 3 is a rear view of the virtual reality and augmented reality headset phone case with its temple elements in an open configuration.

FIG. 4 is a top view of the virtual reality and augmented reality headset phone case with its temple elements in a closed configuration.

FIG. 5 is an end view of the virtual reality and augmented reality headset phone case with its temple elements in a closed configuration.

FIG. 6 is an end view of the virtual reality and augmented reality headset phone case with its temple elements in a closed configuration.

FIG. 7 is a bottom view of the virtual reality and augmented reality headset phone case with its temple elements in a closed configuration.

FIG. 8 is a front view of the virtual reality and augmented reality headset phone case.

FIG. 9 is a top view of the virtual reality and augmented reality headset phone case with its temple elements in an open configuration and bellows in an extended configuration.

FIG. 10 is an end view of the virtual reality and augmented reality headset phone case with its temple elements in an open configuration.

FIG. 11 is an end view of the virtual reality and augmented reality headset phone case with its temple elements in an open configuration.

FIG. 12 is a bottom view of the virtual reality and augmented reality headset phone case with its temple elements in an open configuration and bellows in an extended configuration.

FIG. 13 is a front perspective view of the virtual reality and augmented reality headset phone case holding a phone with its temple elements in an open configuration.

FIG. 14 is a top view of the virtual reality and augmented reality headset phone case holding a phone with its temple elements in an open configuration and bellows in an extended configuration.

FIG. 15 is an end view of the virtual reality and augmented reality headset phone case holding a phone with its temple elements in an open configuration.

FIG. 16 is an end view of the virtual reality and augmented reality headset phone case with its temple elements in a closed configuration holding a phone.

(Continued)




FIG. 17 is a bottom view of the virtual reality and augmented reality headset phone case holding a phone with its temple elements in a closed configuration and bellows in an extended configuration.

FIG. 18 is an end view of the virtual reality and augmented reality headset phone case holding a phone with its temple elements in a closed configuration.

FIG. 19 is a top view of the virtual reality and augmented reality headset phone case holding a phone with its temple elements in a closed configuration.

FIG. 20 is a side view of the virtual reality and augmented reality headset phone case holding a phone with its temple elements in a closed configuration; and,

FIG. 21 is a bottom view of the virtual reality and augmented reality headset phone holding a phone case with its temple elements in a closed configuration.

The dashed broken lines in the Figures illustrate a remote computing device, such as a cell phone or portion thereof, and surface ornamentation and form no part of the claimed design.

1 Claim, 6 Drawing Sheets

(58) **Field of Classification Search**

USPC ..... 351/144; 345/7-9, 905; 455/344;  
348/115, 53, 121, 739

CPC ..... G02B 27/017; G02B 27/0158; G02B  
27/0161; G02B 27/0181; G02B 27/0185;  
G02B 27/0189

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D757,003	S	*	5/2016	Goossens	.....	D14/372
D757,726	S	*	5/2016	Lee	.....	D14/372
D765,074	S	*	8/2016	Katopis	.....	D14/372
D765,658	S	*	9/2016	Spio	.....	D14/372
D792,399	S	*	7/2017	Thomas	.....	D14/372
D798,863	S	*	10/2017	Li	.....	D14/372
D800,113	S	*	10/2017	Wessman	.....	D14/372
D800,114	S	*	10/2017	Woo	.....	D14/372
D800,116	S	*	10/2017	Yee	.....	D14/372
D805,515	S	*	12/2017	Bowes	.....	D14/372
D806,074	S	*	12/2017	Kuwahara	.....	D14/372

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 5





FIG. 6



FIG. 4



FIG. 7






FIG. 13




FIG. 15




FIG. 14




FIG. 16




FIG. 17




FIG. 18




FIG. 19



FIG. 20



FIG. 21