

US00D839711S

(12) **United States Design Patent** (10) **Patent No.:** **US D839,711 S**
Marr (45) **Date of Patent:** **** Feb. 5, 2019**

(54) **ROTARY KNOB**

(71) Applicant: **Dennis F. Marr**, Saline, MI (US)

(72) Inventor: **Dennis F. Marr**, Saline, MI (US)

(73) Assignee: **DHT Ventures, LLC**, Saline, MI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/639,011**

(22) Filed: **Mar. 2, 2018**

(51) **LOC (11) Cl.** **08-06**

(52) **U.S. Cl.**

USPC **D8/311**

(58) **Field of Classification Search**

USPC D8/300, 301, 307, 310, 311, 330, 331;
D7/393; D23/250, 252, 254; D13/174;
D14/401; D12/197

CPC ... Y10T 16/469; Y10T 16/44; Y10T 74/2084;
Y10T 74/20828; Y10T 74/20822; Y10T
74/20864; Y10T 292/444; Y10T 292/432;
Y10T 292/42; Y10T 16/4713; Y10T
16/4707; Y10T 16/476; Y10T 16/506;
Y10T 74/20876; Y10T 16/4559; Y10T
292/0902; Y10T 292/1028; Y10T 16/459;
Y10T 292/702; Y10T 292/0934; Y10T
137/7069; Y10T 292/1083; Y10T
403/7062; Y10T 292/1078; Y10T
292/1024; Y10T 74/20396; Y10T
292/0968; Y10T 292/1085; Y10T
292/1061; Y10T 292/1047; Y10T
292/854; Y10T 403/60; Y10S 16/30

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D142,777 S 11/1945 Eastham
D143,382 S * 12/1945 Zinkil et al. D23/250

D148,252 S * 12/1947 Rausch D23/250
D162,733 S * 4/1951 Hitchcock D8/311
D175,538 S * 9/1955 Dawson D23/250
D181,800 S * 12/1957 Lipton D8/311
D188,632 S * 8/1960 Kawecki D12/197
D189,142 S * 11/1960 Heckman D8/311
D246,691 S 12/1977 Takahashi
D253,289 S 10/1979 Kato
D253,686 S 12/1979 Wooldridge et al.
4,869,086 A 9/1989 Richards
5,003,803 A 4/1991 Richards
5,845,365 A * 12/1998 Howie, Jr. B29C 45/16
16/441
5,974,909 A * 11/1999 Bauer B60Q 1/0082
16/430
D453,661 S * 2/2002 Colletti D7/358
D455,107 S * 4/2002 Zimmerman D12/197
D533,396 S * 12/2006 Lipson D7/392.1
D658,178 S * 4/2012 Ikeda D14/401
D722,815 S * 2/2015 Fuller D7/393
9,234,369 B2 * 1/2016 Gupta E05B 3/04
D806,043 S * 12/2017 Miller D13/174

(Continued)

Primary Examiner — Lauren R Calve

(57)


CLAIM

The ornamental design for a rotary knob, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a rotary knob;
FIG. 2 is a front view thereof;
FIG. 3 is a top view thereof, which is a mirror image of the bottom view;
FIG. 4 is a bottom view thereof, which is a mirror image of the top view;
FIG. 5 is a left side view thereof, which is a mirror image of the right side view; and,
FIG. 6 is a right side view thereof, which is a mirror image of the left side view.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2011/0072934 A1* 3/2011 Ulbrich G05G 1/06
74/558.5

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6