



US00D839716S

(12) **United States Design Patent** (10) **Patent No.:** **US D839,716 S**
Gertsma (45) **Date of Patent:** **** Feb. 5, 2019**

(54) **CORD CLIP**
(71) Applicant: **Earl Gertsma**, Berea, OH (US)
(72) Inventor: **Earl Gertsma**, Berea, OH (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/633,903**
(22) Filed: **Jan. 17, 2018**
(51) **LOC (11) Cl.** **08-05**
(52) **U.S. Cl.**
USPC **D8/356**
(58) **Field of Classification Search**
USPC D8/356, 354, 349
CPC B63B 21/045; B65H 57/16
See application file for complete search history.

7,353,766 B1 * 4/2008 Wiese B63B 21/045
114/218
7,380,371 B2 6/2008 Jones et al.
D604,589 S 11/2009 Johansson
7,752,719 B2 7/2010 Howard
D657,231 S 4/2012 Springer
D680,851 S 4/2013 Lo
D685,625 S 7/2013 Diekman
8,568,190 B2 10/2013 Nelson et al.
D701,109 S 3/2014 Kelleghan
8,661,624 B1 * 3/2014 Bracewell B63B 21/08
24/129 B
D719,084 S 12/2014 Kruse
D733,534 S 7/2015 Alrichter
D735,632 S 8/2015 Beidler
D737,502 S 8/2015 Kirkham
9,162,604 B2 10/2015 Thurlow
9,168,044 B2 10/2015 Kirkham
D747,955 S 1/2016 Franco

(Continued)

Primary Examiner — Cynthia R Underwood
(74) *Attorney, Agent, or Firm* — Fay Sharpe LLP

(56) **References Cited**

U.S. PATENT DOCUMENTS

278,097 A 5/1883 Collins
479,509 A 7/1892 Heaphy, Jr.
1,583,343 A * 5/1926 Duerden F16G 11/14
24/129 R
D81,983 S * 9/1930 Kanowitz 223/92
2,048,300 A * 7/1936 Showers D06F 53/00
24/130
2,981,990 A 5/1961 Balderree, Jr.
3,675,276 A * 7/1972 Nuse A01K 91/04
24/129 B
3,905,322 A 9/1975 Peterman
4,222,157 A 9/1980 Forman
4,355,444 A 10/1982 Haney
4,639,977 A 2/1987 Howard
D289,373 S * 4/1987 Kimball 24/130
4,939,820 A 7/1990 Babcock
5,119,539 A 6/1992 Curry
5,210,912 A 5/1993 Hoefkes
5,582,058 A 12/1996 Knudson
D401,559 S * 11/1998 Angell D13/154
D416,191 S * 11/1999 Edwards D8/394


(57) **CLAIM**

The ornamental design for the cord clip, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a cord clip showing my new design;
FIG. 2 is a top plan view of the cord clip of FIG. 1;
FIG. 3 is a front end view of the cord clip of FIG. 1;
FIG. 4 is a back end view of the cord clip of FIG. 1;
FIG. 5 is a side plan view of the cord clip of FIG. 1;
FIG. 6 is an opposite side plan view thereof of the cord clip of FIG. 1; and,
FIG. 7 is a bottom plan view cord clip of FIG. 1.
In the drawings, the broken lines form no part of the claimed design.

1 Claim, 1 Drawing Sheet



(56)

References Cited

U.S. PATENT DOCUMENTS

D753,985 S 4/2016 Nelson
D756,201 S 5/2016 Van Deusen et al.
D762,461 S * 8/2016 Kirkham D8/356
D799,372 S * 10/2017 Paik D11/218
9,919,769 B2 * 3/2018 Day B63B 21/20
D815,735 S * 4/2018 Aliberti D24/128
D826,698 S * 8/2018 Nelson D8/356
D827,417 S * 9/2018 Nelson D8/356
2008/0184533 A1 8/2008 Kelly
2009/0241297 A1 * 10/2009 Sorensen B60P 7/0823
24/130
2010/0160957 A1 6/2010 Kirkham
2011/0126382 A1 * 6/2011 Kirkham A61B 17/1322
24/16 R
2013/0145582 A1 * 6/2013 Chupp F16G 11/12
24/129 R
2014/0196256 A1 7/2014 Garcia
2015/0059131 A1 3/2015 Wu
2015/0232211 A1 8/2015 Gamache et al.

* cited by examiner




FIG. 1



FIG. 5



FIG. 3




FIG. 2



FIG. 4



FIG. 6




FIG. 7