



US00D839730S

(12) **United States Design Patent**
Wang

(10) **Patent No.:** **US D839,730 S**

(45) **Date of Patent:** **** Feb. 5, 2019**

- (54) **TETHERED LID**
- (71) Applicant: **Albert Wang**, Syosset, NY (US)
- (72) Inventor: **Albert Wang**, Syosset, NY (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/634,538**
- (22) Filed: **Jan. 23, 2018**
- (51) **LOC (11) Cl.** **09-06**
- (52) **U.S. Cl.**
USPC **D9/446**
- (58) **Field of Classification Search**
USPC D9/414, 416, 425, 434, 435, 436, 438,
D9/439, 440, 442, 443, 446-450,
D9/452-457, 499, 503-505, 682, 685,
D9/686; D7/387, 391, 392, 392.1, 393,
D7/394, 396.1-396.4, 401.1, 503-505,
D7/509-511, 538, 900; D3/201, 202,
D3/203.2, 318; D28/91, 91.1
CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D
1/02; B65D 1/10; B65D 1/46; B65D
2585/56; B65D 2585/545; B65D 41/00;
B65D 41/38; B65D 41/56; B65D 41/62;
B65D 47/00; B65D 47/06; B65D 47/08;
B65D 2543/00046; B65D 2543/00092;
B65D 2543/00296; B65D 5/46; B65D
2251/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,633,197 A 6/1927 Snyder
- 1,937,674 A 12/1933 Teason
- 2,789,717 A * 4/1957 Demke B65D 55/16
215/235
- 2,814,404 A * 11/1957 Towns B65D 41/28
215/305

- 2,814,405 A * 11/1957 Edwards B65D 45/322
215/253
- D188,393 S * 7/1960 Fagan D3/264
- D193,121 S * 6/1962 Wickman D9/446
- 3,145,872 A * 8/1964 Hayes B65D 47/148
220/375
- 3,160,327 A * 12/1964 Porcelli B65D 47/103
220/258.2
- D206,294 S * 11/1966 Poris D9/436
- 3,407,956 A 10/1968 Linkletter et al.
- 3,416,688 A 12/1968 Fanning
- 3,434,620 A * 3/1969 Laurizio B65D 39/084
220/258.2
- 3,612,322 A * 10/1971 Linkletter B65D 50/065
215/225

(Continued)

Primary Examiner — Michael A. Pratt
Assistant Examiner — Wendy L Arminio
 (74) *Attorney, Agent, or Firm* — Bingham Greenebaum
 Doll LLP; Brian W. Chellgren


(57) **CLAIM**

The ornamental design for a tethered lid, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of a tethered lid;
 FIG. 2 is a top perspective view thereof;
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a right side elevational view thereof, the left side
 elevational view being a mirror image.
 FIG. 6 is a front end view thereof;
 FIG. 7 is a rear end view thereof; and,
 FIG. 8 is a side perspective view of the tethered lid shown
 in a position of use mounted on a cup drawn in broken lines,
 the cup forming no part of the claimed design.
 In the drawings, the broken lines depict environmental
 subject matter only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

3,779,429	A *	12/1973	Porcelli	B65D 49/02 215/22	D643,722	S	8/2011	Gorskey et al.	
4,706,841	A *	11/1987	Grajek	E05B 17/14 220/375	8,245,870	B2	8/2012	McKinney et al.	
D353,328	S *	12/1994	Nuffer	D9/445	D676,318	S *	2/2013	MacNeill	D9/446
5,593,054	A	1/1997	Glynn		D682,017	S	5/2013	Smiedt et al.	
D404,646	S *	1/1999	Black, Sr.	D9/440	D693,650	S *	11/2013	De Leo	D7/629
6,241,114	B1 *	6/2001	Savino	B65D 21/022 206/459.5	8,752,720	B1	6/2014	Habig et al.	
6,302,286	B1	10/2001	Witherspoon		D753,998	S	4/2016	Murphey et al.	
D464,262	S	10/2002	Drennow		D776,533	S *	1/2017	Kikel	D9/446
6,910,594	B2 *	6/2005	Foley	A61J 9/001 215/11.1	D797,555	S *	9/2017	Carlson	D9/436
7,156,253	B2	1/2007	Ziegler		2005/0247714	A1	11/2005	Backes et al.	
7,472,797	B2 *	1/2009	Ostrowski	A61J 9/00 215/230	2006/0096987	A1	5/2006	Wry	
					2009/0134112	A1	5/2009	Reeves	
					2010/0096398	A1 *	4/2010	Gorskey	B65D 47/06 220/793
					2012/0247607	A1 *	10/2012	MacNeill	F16L 55/115 138/96 R
					2016/0023812	A1 *	1/2016	Kikel	B65D 41/02 235/492
					2018/0134464	A1 *	5/2018	Battaglia	A47G 23/0266

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8