

US00D839979S

(12) **United States Design Patent**
Tepe

(10) **Patent No.:** **US D839,979 S**

(45) **Date of Patent:** **** Feb. 5, 2019**

(54) **REVERSIBLE BASEBALL TRAINING PLATE**

(71) Applicant: **John H. Tepe**, Coolidge, AZ (US)

(72) Inventor: **John H. Tepe**, Coolidge, AZ (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/623,170**

(22) Filed: **Oct. 23, 2017**

(51) **LOC (11) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/780**; D21/717

(58) **Field of Classification Search**
USPC D21/698, 699, 706, 715, 717, 719, 780,
D21/789-796; 473/417-420, 423-430,
473/451-456, 504
CPC . A63B 69/00; A63B 69/0013; A63B 69/0015;
A63B 69/0073; A63B 69/0075; A63B
69/0079; A63B 69/0084; A63B 69/0091;
A63B 2069/0004; A63B 2069/0006;
A63B 2069/0008; A63B 71/02; A63B
71/028

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,819,937	A *	4/1989	Gordon	A63B 69/0075 473/417
5,004,234	A *	4/1991	Hollis	A63B 69/0075 473/417
5,076,580	A *	12/1991	Lang	A63B 69/0002 473/273
5,388,823	A *	2/1995	Prieto	A63B 69/0075 473/417
D373,806	S *	9/1996	Bunnell	D21/717
D410,052	S	5/1999	Davis		
5,928,092	A	7/1999	Keeter		
6,099,418	A *	8/2000	Owen	A63B 69/0075 473/417

6,413,175	B1 *	7/2002	Mooney, Jr.	A63B 69/0075 473/417
D479,290	S *	9/2003	DeChenne	D21/717
7,354,360	B1 *	4/2008	Eckstein	A63B 69/0002 473/417
7,479,074	B1 *	1/2009	Pierce	A63B 69/0002 473/417
D595,382	S *	6/2009	Richard	D21/780
7,674,194	B2	3/2010	Lortscher		
8,303,439	B2	11/2012	Spallina		
8,556,753	B1 *	10/2013	Dixon, Jr.	A63B 69/0002 473/417
8,992,348	B2	3/2015	Meier et al.		
D742,982	S *	11/2015	Menard	D21/780
9,421,444	B1 *	8/2016	Graham	A63B 69/0002

(Continued)

Primary Examiner — Catherine A Tuttle
(74) *Attorney, Agent, or Firm* — Mark V. Loen


(57) **CLAIM**

The ornamental design for a reversible baseball training plate, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a reversible baseball training plate; FIG. 2 is a top edge view thereof; FIG. 3 is a lower edge view thereof; FIG. 4 is a left edge view thereof; FIG. 5 is a right edge view thereof; FIG. 6 is a back view thereof; FIG. 7 is a front isometric view thereof; and, FIG. 8 is a back isometric view showing the design in association with dash dot lines representing the environment and use thereof. The text and arrows shown in dashed lines in FIGS. 1, 6, 7 & 8 represent hitter instructions that form no part of the claimed design. The hitter, tee and ball shown in dash dot lines in FIG. 8 likewise form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D773,578 S * 12/2016 Gerut D21/780
D801,455 S * 10/2017 Gold D21/698
2005/0003908 A1* 1/2005 Smull A63B 69/0002
473/419
2007/0082762 A1 4/2007 Falgoust

* cited by examiner




Fig. 2




Fig. 1



Fig. 3



Fig. 4



Fig. 5




Fig. 6




Fig. 7




Fig. 8