



US00D840006S

(12) **United States Design Patent** (10) **Patent No.:** **US D840,006 S**
Fritz et al. (45) **Date of Patent:** **** Feb. 5, 2019**

(54) **HEATING DEVICE**
(71) Applicant: **Robert Bosch GmbH**, Stuttgart (DE)
(72) Inventors: **Udo Fritz**, Wernau (DE); **Christoph Albiez**, Esslingen (DE); **Ulrich Warth**, Stuttgart (DE)
(73) Assignee: **Robert Bosch GmbH**, Stuttgart (DE)
(**) Term: **15 Years**
(21) Appl. No.: **29/606,417**
(22) Filed: **Jun. 5, 2017**

(30) **Foreign Application Priority Data**
Dec. 6, 2016 (EM) 003502350
(51) **LOC (11) Cl.** **23-03**
(52) **U.S. Cl.**
USPC **D23/318**
(58) **Field of Classification Search**
USPC D23/314, 317, 318, 319, 320, 329, 332,
D23/342; D14/214, 225, 235, 237, 240,
D14/241, 255, 356, 362; D13/184
CPC . F24H 1/10; F24H 9/2028; F24H 9/02; F24H
9/128; F24H 9/2021; F24H 9/2007; F24H
9/0005; F24H 9/08; F24H 7/00; F24H
4/00; F24H 2/142
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
7,046,922 B1 * 5/2006 Sturm F24H 1/102
392/465
D616,536 S * 5/2010 Lee D23/318
D621,490 S * 8/2010 Schmidt D23/319
D628,979 S * 12/2010 Yagi D14/214

D641,460 S * 7/2011 Choi D23/318
8,297,525 B1 * 10/2012 Bolivar H05B 3/78
236/20 R
D687,134 S * 7/2013 Lee D23/320
D714,259 S * 9/2014 Galler D14/221
D745,128 S * 12/2015 Farone D23/355

(Continued)

Primary Examiner — T Chase Nelson
Assistant Examiner — Ania Aman
(74) *Attorney, Agent, or Firm* — Maginot, Moore & Beck
LLP


(57) **CLAIM**
The ornamental design for a heating device, as shown and described.

DESCRIPTION

Cross reference is made to copending U.S. design patent application Ser. No. 29/606,416 entitled “Heating Device” by Fritz et al. filed on even date herewith; U.S. design patent application Ser. No. 29/606,419 entitled “Heating Device” by Fritz et al. filed on even date herewith; and U.S. design patent application Ser. No. 29/606,420 entitled “Heating Device” by Fritz et al. filed on even date herewith.

FIG. 1 is a perspective view of a heating device showing our new design;
FIG. 2 is a front elevational view of the heating device of FIG. 1;
FIG. 3 is a rear elevational view of the heating device of FIG. 1;
FIG. 4 is a left side elevational view of the heating device of FIG. 1;
FIG. 5 is a right side elevational view of the heating device of FIG. 1;
FIG. 6 is a top plan view of the heating device of FIG. 1; and, FIG. 7 is a bottom plan view of the heating device of FIG. 1.
The broken lines shown in the drawings illustrate portions of the heating device that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D766,409 S	9/2016	Buettner et al.	
D768,831 S	10/2016	Buettner et al.	
D768,832 S	10/2016	Buettner et al.	
D769,425 S	10/2016	Buettner et al.	
D769,426 S	10/2016	Buettner et al.	
D769,427 S	10/2016	Buettner et al.	
D769,428 S	10/2016	Buettner et al.	
D769,429 S	10/2016	Buettner et al.	
D770,021 S	10/2016	Buettner et al.	
D770,604 S	11/2016	Buettner et al.	
D773,020 S	11/2016	Buettner et al.	
2012/0275775 A1*	11/2012	Iskrenovic	F24H 1/142 392/483
2014/0064716 A1*	3/2014	Cohen	F24H 9/2021 392/441
2015/0147054 A1*	5/2015	Green	F16K 49/002 392/449

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7