



US00D840007S

(12) **United States Design Patent** (10) **Patent No.:** **US D840,007 S**
Fritz et al. (45) **Date of Patent:** **** Feb. 5, 2019**

(54) **HEATING DEVICE**
(71) Applicant: **Robert Bosch GmbH**, Stuttgart (DE)
(72) Inventors: **Udo Fritz**, Wernau (DE); **Christoph Albiez**, Esslingen (DE); **Ulrich Warth**, Stuttgart (DE)
(73) Assignee: **Robert Bosch GmbH**, Stuttgart (DE)
(**) Term: **15 Years**
(21) Appl. No.: **29/606,419**
(22) Filed: **Jun. 5, 2017**
(30) **Foreign Application Priority Data**

Dec. 6, 2016 (EM) 003502350

(51) **LOC (11) Cl.** **23-03**

(52) **U.S. Cl.**
USPC **D23/318**

(58) **Field of Classification Search**
USPC D23/314, 317, 318, 319, 320, 329, 332, D23/342; D14/214, 225, 235, 237, 240, D14/241, 255, 356, 362; D13/184
CPC . F24H 1/10; F24H 9/2028; F24H 9/02; F24H 9/128; F24H 9/2021; F24H 9/2007; F24H 9/0005; F24H 9/08; F24H 7/00; F24H 4/00; F24H 2/142
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,046,922 B1 * 5/2006 Sturm F24H 1/102 392/465
D616,536 S * 5/2010 Lee D23/318
D621,490 S * 8/2010 Schmidt D23/319
D628,979 S * 12/2010 Yagi D14/214
D641,460 S * 7/2011 Choi D23/318

8,297,525 B1 * 10/2012 Bolivar H05B 3/78 236/20 R
D687,134 S * 7/2013 Lee D23/320
D714,259 S * 9/2014 Galler D14/221
D745,128 S * 12/2015 Farone D23/355
D766,409 S 9/2016 Buettner et al.
D768,831 S 10/2016 Buettner et al.
D768,832 S 10/2016 Buettner et al.

(Continued)

Primary Examiner — T Chase Nelson

Assistant Examiner — Ania Aman

(74) *Attorney, Agent, or Firm* — Maginot, Moore & Beck LLP

(57) **CLAIM**

The ornamental design for a heating device, as shown and described.

DESCRIPTION

Cross reference is made to copending U.S. design patent application Ser. No. 29/606,416 entitled “Heating Device” by Fritz et al. filed on even date herewith; U.S. design patent application Ser. No. 29/606,417 entitled “Heating Device” by Fritz et al. filed on even date herewith; and U.S. design patent application Ser. No. 29/606,420 entitled “Heating Device” by Fritz et al. filed on even date herewith.

FIG. 1 is a perspective view of a heating device showing our new design;

FIG. 2 is a front elevational view of the heating device of FIG. 1;

FIG. 3 is a rear elevational view of the heating device of FIG. 1;


FIG. 4 is a left side elevational view of the heating device of FIG. 1;

FIG. 5 is a right side elevational view of the heating device of FIG. 1;

FIG. 6 is a top plan view of the heating device of FIG. 1; and, FIG. 7 is a bottom plan view of the heating device of FIG. 1.

1.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D769,425 S	10/2016	Buettner et al.	
D769,426 S	10/2016	Buettner et al.	
D769,427 S	10/2016	Buettner et al.	
D769,428 S	10/2016	Buettner et al.	
D769,429 S	10/2016	Buettner et al.	
D770,021 S	10/2016	Buettner et al.	
D770,604 S	11/2016	Buettner et al.	
D773,020 S	11/2016	Buettner et al.	
2012/0275775 A1*	11/2012	Iskrenovic	F24H 1/142 392/483
2014/0064716 A1*	3/2014	Cohen	F24H 9/2021 392/441
2015/0147054 A1*	5/2015	Green	F16K 49/002 392/449

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7