

US00D840057S

(12) **United States Design Patent** (10) **Patent No.:** **US D840,057 S**
Faotto (45) **Date of Patent:** **** Feb. 5, 2019**

(54) **FLOOR UNDERLAYMENT**

(71) Applicant: **SILCART S.p.A.**, Carbonera (IT)

(72) Inventor: **Ugo Faotto**, Carbonera (IT)

(73) Assignee: **SILCART S.p.A.**, Carbonera (IT)

(**) Term: **15 Years**

(21) Appl. No.: **29/623,467**

(22) Filed: **Oct. 25, 2017**

Related U.S. Application Data

(62) Division of application No. 29/539,642, filed on Sep. 16, 2015, now Pat. No. Des. 806,911.

(30) **Foreign Application Priority Data**

Mar. 17, 2015 (WO) 879745101

(51) **LOC (11) Cl.** **25-01**

(52) **U.S. Cl.**
USPC **D25/158; D25/138**

(58) **Field of Classification Search**
USPC D25/138–144, 152–162, 199
CPC . H05B 3/00; H05B 3/34; H05B 3/146; H05B
2203/013; H05B 2203/026; H05B
2203/032; F24D 3/12; F24D 3/14; F24D
3/142; F24D 3/146; F24D 13/02; E04F
15/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,420,012 A 1/1969 Liskey, Jr.
3,495,367 A * 2/1970 Kobayashi E04B 1/04
52/223.6
3,696,578 A 10/1972 Swensen
4,279,966 A 7/1981 Wakana et al.

5,082,712 A 1/1992 Starp
5,707,582 A 1/1998 Wischemann
6,539,681 B1 4/2003 Siegmund
7,250,570 B1 7/2007 Morand et al.
7,834,447 B2 11/2010 Karavakis et al.
D702,370 S 4/2014 Kim
D706,459 S 6/2014 Schluter et al.
9,188,348 B2 11/2015 Larson
9,328,520 B1 5/2016 Kriser
9,428,920 B2 8/2016 Schluter et al.
9,719,265 B2 * 8/2017 Bordin E04F 15/185
9,726,383 B1 * 8/2017 Bordin F24D 3/142

(Continued)

OTHER PUBLICATIONS

Selling In-Floor Radiant Heating (on-line), dated Jul. 15, 2016, Retrieved from Internet Mar. 23, 20117, URL: <http://www.floortrendsmag.com/articles/100146-selling-in-floor-radiant-heating> (2 pages).

(Continued)

Primary Examiner — Katie Jane Stofko

Assistant Examiner — Kimberly Barnes

(74) *Attorney, Agent, or Firm* — Thomas I Horstemeyer, LLP

(57) **CLAIM**

The ornamental design for a floor underlayment, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a floor underlayment showing my new design;



FIG. 2 is a side elevation view of FIG. 1, the other side elevation views being identical thereof;

FIG. 3 is a top plan view of FIG. 1;

FIG. 4 is a bottom plan view, opposite that of FIG. 3; and,

FIG. 5 is a bottom perspective view, opposite that of FIG. 1.

1 Claim, 5 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D806,274 S * 12/2017 Bordin D25/158
D806,276 S * 12/2017 Bordin D25/158
D806,277 S * 12/2017 Bordin D25/158
D806,279 S * 12/2017 Bordin D25/158
D806,911 S * 1/2018 Faotto D25/158
D818,615 S * 5/2018 Bordin D25/158
D818,616 S * 5/2018 Bordin D25/158
D818,617 S * 5/2018 Bordin D25/158
2009/0026192 A1 1/2009 Fuhrman
2011/0284647 A1 11/2011 Montanari
2016/0047131 A1 2/2016 Larson
2016/0061355 A1 3/2016 Sherman et al.
2016/0192443 A1 * 6/2016 Schluter F24C 15/168
174/97
2016/0273232 A1 9/2016 Bordin et al.
2017/0073980 A1 3/2017 Szonok
2018/0223543 A1 * 8/2018 Faotto E04F 15/182

OTHER PUBLICATIONS

How to Choose Underlayment (on-line), dated Dec. 16, 2016.
Retrieved from Internet Mar. 23, 2017, URL: <https://www.warmlyyours.com/en-US/posts/How-to-Choose-Underlayment-2735> (2 pages).

* cited by examiner




FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5