

US00D840070S

(12) **United States Design Patent** (10) **Patent No.:** **US D840,070 S**
Cramer (45) **Date of Patent:** **** Feb. 5, 2019**

(54) **LIGHTING DEVICE**

(71) Applicant: **Alliance Sports Group, L.P.**, Grand Prairie, UT (US)

(72) Inventor: **Steven Cramer**, Redmond, WA (US)

(73) Assignee: **Alliance Sports Group, L.P.**, Grand Prairie, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/554,551**

(22) Filed: **Feb. 12, 2016**

(51) **LOC (11) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/37**

(58) **Field of Classification Search**

USPC D26/37, 38, 40, 42, 44, 46, 51
CPC F21L 2003/00; F21L 4/00; F21L 4/005;
F21L 4/02; F21L 4/025; F21L 4/027;
F21L 4/04; F21L 4/08; F21L 2005/00;
F21L 7/00; F21L 11/00; F21L 13/00;
F21L 13/04; F21L 13/08; F21L 14/02;
F21L 17/00; F21L 19/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D289,920 S * 5/1987 O'Neil, Jr. D23/366
D522,234 S * 6/2006 Murphy D3/209
D544,388 S * 6/2007 Chisholm D10/114.2
D544,618 S * 6/2007 Coughaine D26/37
D553,274 S * 10/2007 Hill D26/37
D553,278 S * 10/2007 Moore D26/39
D567,414 S * 4/2008 Schnell D26/37
D568,516 S * 5/2008 Hillard D26/60
7,390,104 B2 * 6/2008 Coughaine F21S 9/02
362/184
D581,081 S * 11/2008 Mier-Langner D26/72

7,591,572 B1 9/2009 Levine
D620,164 S * 7/2010 Chen D26/60
D633,635 S * 3/2011 Poon D26/60
D640,815 S * 6/2011 Yamada D26/63

(Continued)

OTHER PUBLICATIONS

"Blazer C6350 Red LED Magnetic Emergency Light" <https://www.amazon.com/Blazer-C6350-Magnetic-Emergency-Light/dp/B000N4YGMQ>, Accessed on Nov. 10, 2016.

(Continued)

Primary Examiner — Lakiya G Rogers

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Thorpe North & Western LLP


(57) **CLAIM**

The ornamental design for the lighting device, as shown and described.

DESCRIPTION

FIG. 1 is an elevated, perspective view of the lighting device in a first configuration in accordance with my invention; FIG. 2 is a bottom perspective view thereof; FIG. 3 is top view of FIG. 1; FIG. 4 is a bottom view of FIG. 1; FIG. 5 is a side view of FIG. 1; FIG. 6 is an opposite view of FIG. 5; FIG. 7 is a front view of the lighting device shown in FIG. 1; FIG. 8 is a back view of the lighting device shown in FIG. 1; FIG. 9 is an elevated, perspective view of the lighting device in a second configuration; and, FIG. 10 is a side view of the lighting device in a third configuration. The broken lines shown represent portions of the article not claimed and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D656,527	S	*	3/2012	May		D16/135
D682,451	S	*	5/2013	Hardy		D26/60
D684,269	S	*	6/2013	Wang		D24/209
D728,849	S	*	5/2015	Hamel		D26/128
D734,518	S	*	7/2015	Zimmermann		D26/39
D740,474	S	*	10/2015	Pineau		D26/37
D744,964	S	*	12/2015	Sachsenweger		D13/180
D759,867	S	*	6/2016	Grandadam		D26/37
D775,381	S	*	12/2016	Jacq		D26/28
2006/0171145	A1	*	8/2006	Ford		F21L 4/027 362/200
2011/0255274	A1		10/2011	Coleman et al.		
2013/0163234	A1		6/2013	Hsien et al.		
2013/0163235	A1		6/2013	Chuang		

OTHER PUBLICATIONS

“Norstrand Road Flares Roadside Flashing Emergency LED Lights Beacon with Magnetic Base for Car or Marine” <https://www.amazon.com/Nordstrand-Roadside-Flashing-Emergency-Magnetic/dp/B01CNYZ42Y>, Accessed on Nov. 10, 2016.

“Tumecos Emergency Flare Alert Warning Signal Caution Light LED Beacon Pro with Magnetic Base for Vehicle” <https://www.amazon.com/Tumecos-Emergency-Warning-Caution-Magnetic/dp/B01KJ63XDA>, Accessed on Nov. 10, 2016.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10