



US00D840092S

(12) **United States Design Patent** (10) **Patent No.:** **US D840,092 S**
Herre et al. (45) **Date of Patent:** **** Feb. 5, 2019**

(54) **LIGHTING DEVICE**

(71) Applicant: **J.W. SPEAKER CORPORATION**,
Germantown, WI (US)

(72) Inventors: **Michael J. Herre**, Cedarburg, WI (US);
Dragan Popovic, Germantown, WI (US)

(73) Assignee: **J.W. SPEAKER CORPORATION**,
Germantown, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/646,852**

(22) Filed: **May 8, 2018**

Related U.S. Application Data

(62) Division of application No. 29/571,392, filed on Jul. 18, 2016, now Pat. No. Des. 820,505.

(51) **LOC (11) Cl.** **29-99**

(52) **U.S. Cl.**
USPC **D26/120**

(58) **Field of Classification Search**
USPC D26/1, 24, 61, 63, 65, 85, 92, 118, 120,
D26/124
CPC F21V 21/14; F21V 15/01; F21V 14/02;
F21V 21/30; F21V 21/00; F21V 14/00;
F21S 8/00; F21S 8/003; F21S 8/043;
F21Y 2105/001

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D645,582 S * 9/2011 Kim D26/2
D677,422 S * 3/2013 Lin D26/120

D677,831 S * 3/2013 Lin D26/120
D679,446 S * 4/2013 Harrington, Jr. D26/124
D712,087 S * 8/2014 Kjaergaard Toft D26/123
D727,558 S * 4/2015 Tang D26/120
D744,694 S * 12/2015 Goltche D26/120
D757,992 S * 5/2016 Hsu D26/124

* cited by examiner

Primary Examiner — Brian N. Vinson

(74) *Attorney, Agent, or Firm* — Quarles & Brady LLP

(57) **CLAIM**


The ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a top, left, and front side of an ornamental design for a lighting device;
FIG. 2 is an isometric view of a bottom, right, and rear side of the lighting device of FIG. 1;
FIG. 3 is a front elevational view of the lighting device of FIG. 1;
FIG. 4 is a rear elevational view of the lighting device of FIG. 1;
FIG. 5 is a right side elevational view of the lighting device of FIG. 1;
FIG. 6 is a left side elevational view of the lighting device of FIG. 1;
FIG. 7 is a top plan view of the lighting device of FIG. 1; and,
FIG. 8 is a bottom plan view of the lighting device of FIG. 1.

The dash-dash-dash broken lines are included for the purpose of illustrating portions of the lighting device that form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8