

US00D840338S

(12) **United States Design Patent**
Drzymala et al.

(10) **Patent No.:** **US D840,338 S**

(45) **Date of Patent:** **** Feb. 12, 2019**

(54) **BATTERY**

(71) Applicant: **SYMBOL TECHNOLOGIES, LLC**,
Lincolnshire, IL (US)

(72) Inventors: **Mark Drzymala**, St. James, NY (US);
Edward Barkan, Miller Place, NY
(US); **Darran Handshaw**, Sound
Beach, NY (US); **Jean N. Tu**, Stony
Brook, NY (US)

(73) Assignee: **Symbol Technologies, LLC**, Holtsville,
NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/559,575**

(22) Filed: **Mar. 30, 2016**

(51) **LOC (11) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/119**

(58) **Field of Classification Search**
USPC D13/102-108, 110, 118-121, 184, 199,
D13/133, 146-147

CPC Y02E 60/12; Y02E 60/122; Y02E 60/124;
Y02E 60/50; H01M 2/02; H01M 2/022;
H01M 2/0202; H01M 2/0207; H01M
2/0212; H01M 2/1061; H01M 2/1022;
H01M 2/1055; H01M 2/1066; H01M
2/105; H01M 2/204; H01M 10/4257;
H01M 10/0436; H01M 10/48

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,709,973 A 12/1987 Waters
D328,888 S 8/1992 Zhu
D335,277 S 5/1993 Hattori
D363,055 S 10/1995 Kobayashi et al.
D448,340 S * 9/2001 Hall D13/119

6,302,536 B1 10/2001 Sarma et al.
D484,851 S 1/2004 Voli
D528,071 S 9/2006 Croley et al.
D581,866 S 12/2008 Choi et al.
D647,050 S * 10/2011 Tu D13/103
D701,509 S 3/2014 DeGiovine et al.
D716,729 S 11/2014 Kelly et al.
D725,590 S * 3/2015 Clyne D13/103
D733,648 S 7/2015 Bianco
D743,887 S 11/2015 Dasbach
D743,888 S 11/2015 Dasbach
D744,110 S 11/2015 Kubo et al.
D751,989 S * 3/2016 Imai D13/147
9,367,723 B1 6/2016 Drzymala et al.
D766,175 S 9/2016 Tsiopoulos et al.
D768,068 S 10/2016 Chen
D772,455 S 11/2016 Chen

(Continued)

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/558,188, filed Mar. 15, 2016.
Design U.S. Appl. No. 29/560,984, filed Apr. 12, 2016.

Primary Examiner — Rosemary K Tarcza

(57) **CLAIM**


We claim the ornamental design for a battery, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a battery disclosed herein;
FIG. 2 is another perspective view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a front view thereof;
FIG. 6 is a back view thereof;
FIG. 7 is a first side view thereof; and,
FIG. 8 is a second side view thereof.

The broken lines shown in the drawings are for the purpose of illustrating portions of the battery which form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D773,389	S	12/2016	Miller	
D776,059	S *	1/2017	Kim	D13/147
D779,439	S *	2/2017	Suzuki	D13/147
D780,111	S *	2/2017	Clyne	D13/103
D783,523	S	4/2017	Jang	
D784,261	S *	4/2017	Rowe	D13/103
D790,546	S	6/2017	Zhou	
D791,695	S *	7/2017	Bergman	D13/103
D792,343	S *	7/2017	Rowe	D13/103
D794,554	S *	8/2017	Chang	D13/103
D800,379	S	10/2017	Fang	
9,780,580	B1	10/2017	Drzymala et al.	
D818,949	S	5/2018	Dunkin	
D822,593	S *	7/2018	Trongone	D13/103
2011/0039143	A1	2/2011	Bacon et al.	
2013/0196203	A1	8/2013	Wackwitz et al.	
2015/0180317	A1	6/2015	Chitsaz et al.	
2016/0268731	A1	9/2016	Ziegenfuss et al.	
2017/0030109	A1	2/2017	Duncan et al.	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8