

US00D840357S

(12) **United States Design Patent** (10) **Patent No.:** **US D840,357 S**
Zhao (45) **Date of Patent:** **** Feb. 12, 2019**

(54) **CONTROL DEVICE**

(71) Applicant: **QINGDAO BRIGHT MEDICAL MANUFACTURING CO., LTD.**,
Qingdao, Shandong Province (CN)

(72) Inventor: **Dezheng Zhao**, Qingdao (CN)

(73) Assignee: **QINGDAO BRIGHT MEDICAL MANUFACTURING CO., LTD.**,
Qingdao (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/595,443**

(22) Filed: **Feb. 28, 2017**

(30) **Foreign Application Priority Data**

Aug. 30, 2016 (CN) 2016 3 0447195

(51) **LOC (11) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/168; D24/186**

(58) **Field of Classification Search**
USPC D13/168, 171; D24/133, 186, 187
CPC A61B 8/4405; A61B 8/4455; A61B 8/462;
A61N 1/37235; A61N 1/37247; H01H
9/02; H01H 9/0214; H01H 9/0235; H01H
9/0242; G08C 17/00; G08C 17/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D435,834 S *	1/2001	Picozza	D13/168
D500,494 S *	1/2005	Borsboom	D14/218
D513,233 S *	12/2005	Stauffer	D13/168
D527,712 S *	9/2006	Indio da Costa	D13/168
7,218,249 B2 *	5/2007	Chadha	G06F 3/0236 341/22
D546,818 S *	7/2007	Gautier	D14/218
D548,728 S *	8/2007	Yoshiyama	D14/218
D603,351 S *	11/2009	Badarello	D13/168

(Continued)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Jiwen Chen


(57) **CLAIM**

The ornamental design for control device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective front view of a first embodiment of control device;
 FIG. 2 is a right side view thereof;
 FIG. 3 is a left side view thereof;
 FIG. 4 is a front view thereof;
 FIG. 5 is a rear view thereof;
 FIG. 6 is a top view thereof;
 FIG. 7 is a bottom view thereof; and
 FIG. 8 is a front view thereof showing the control device.
 FIG. 9 is a perspective front view of a second embodiment of control device;
 FIG. 10 is a right side view thereof;
 FIG. 11 is a left side view thereof;
 FIG. 12 is a front view thereof;
 FIG. 13 is a rear view thereof;
 FIG. 14 is a top view thereof;
 FIG. 15 is a bottom view thereof; and
 FIG. 16 is a front view thereof showing the control device.
 FIG. 17 is a perspective front view of a third embodiment of control device;
 FIG. 18 is a right side view thereof;
 FIG. 19 is a left side view thereof;
 FIG. 20 is a front view thereof;
 FIG. 21 is a rear view thereof;
 FIG. 22 is a top view thereof;
 FIG. 23 is a bottom view thereof; and,
 FIG. 24 is a front view thereof showing the control device.
 The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D612,839 S * 3/2010 Kato D14/218
D633,447 S * 3/2011 Schaal D13/168
D637,178 S * 5/2011 Chiu D14/218
8,008,628 B2 * 8/2011 Boucly A61B 6/145
250/370.09
D656,104 S * 3/2012 Cook D13/168
D667,798 S * 9/2012 Burwell D13/168
D710,014 S * 7/2014 Johnson D14/486
D726,130 S * 4/2015 Burgett D13/171
D729,748 S * 5/2015 Cook D13/168
9,180,302 B2 * 11/2015 Drees A61N 1/37282
D789,545 S * 6/2017 Pippel D24/186
D802,542 S * 11/2017 Christensen D13/168
2008/0249591 A1 * 10/2008 Gaw A61N 1/37235
607/60
2012/0101551 A1 * 4/2012 Aghassian A61N 1/37235
607/60
2013/0060300 A1 * 3/2013 Polefko A61N 1/36017
607/46
2013/0197607 A1 * 8/2013 Wilder A61N 1/3787
607/59
2017/0065259 A1 * 3/2017 Pinch A61B 8/546

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17



FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24