



US00D840478S

(12) **United States Design Patent** (10) **Patent No.:** **US D840,478 S**  
**Sprowl et al.** (45) **Date of Patent:** **\*\* Feb. 12, 2019**

(54) **TIRE FOR A MODEL VEHICLE**  
(71) Applicant: **TRAXXAS LP**, McKinney, TX (US)  
(72) Inventors: **Jory Sprowl**, Wolfe City, TX (US);  
**Kent Poteet**, Lucas, TX (US);  
**Jonathan Scott Wood**, Lewisville, TX (US)  
(73) Assignee: **TRAXXAS LP**, McKinney, TX (US)

D313,582 S 1/1991 Tsutsumi et al.  
D316,689 S 5/1991 Fujiki  
5,259,429 A 11/1993 Harms  
D379,442 S 5/1997 Ratliff, Jr.  
D384,013 S 9/1997 Thomas  
D391,211 S 2/1998 Maxwell  
D400,141 S 10/1998 Maxwell  
D428,587 S 7/2000 Maxwell  
6,142,200 A 11/2000 Feider et al.

(Continued)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/592,271**

(22) Filed: **Jan. 27, 2017**

(51) **LOC (11) Cl.** ..... **21-01**

(52) **U.S. Cl.**

USPC ..... **D21/563**; D12/500

(58) **Field of Classification Search**

USPC ..... 152/5, 151, 152.1, 167, 208,  
152/209.1–209.28, 246, 450, 526, 527,  
152/532, 535, 538, 541; D12/145,  
D12/500–605, 900–901; D21/495, 533,  
D21/548, 563  
CPC ..... B60C 11/00; B60C 2011/0337; B60C  
2011/0339; B60C 2011/0386; B60C 3/00;  
B60C 3/08; B60C 1/00; B60C 2200/00;  
B60C 2200/02; B60C 2200/04; B60C  
2200/06; B60C 2200/065; B60C 2200/08;  
B60C 2200/10; B60C 2200/12; B60C  
2200/14; B60C 7/00; B60C 7/02; B60C  
7/04; B60C 7/06; B60C 7/08; B60C 5/00;  
B60C 13/00

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D208,685 S 9/1967 Evans, Jr.  
D260,012 S 7/1981 Candiliotis  
D261,257 S 10/1981 Guidry  
D296,544 S 7/1988 Matsushita et al.  
D310,985 S 10/1990 Covert et al.

**OTHER PUBLICATIONS**

“Goodyear Tires, “Wrangler MT/R” web page: [http://www.goodyear tires.com/goodyear tires selector/display\\_tire.jsp?prodline=Wrangler+MT%2FR&mrktarea=Light+Truck&treadwidth=&aspectratio=&rimdiameter=&sidewall](http://www.goodyear tires.com/goodyear tires selector/display_tire.jsp?prodline=Wrangler+MT%2FR&mrktarea=Light+Truck&treadwidth=&aspectratio=&rimdiameter=&sidewall)”.

(Continued)

*Primary Examiner* — Robin V Webster

*Assistant Examiner* — Keith J Wilson

(74) *Attorney, Agent, or Firm* — Daryl R. Wright; Greg Carr

(57) **CLAIM**

We claim the ornamental design for a tire for a model vehicle, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, left, front perspective view of a tire for a model vehicle;

FIG. 2 is left side elevation view thereof;


FIG. 3 is a front elevation view thereof; and,

FIG. 4 is a top, left, front perspective view of a tire for a model vehicle mounted on a model vehicle platform.

The broken line showing of the model vehicle platform is provided for the purposes of illustrating environmental structure and forms no part of the claimed design.

The broken lines depicting the interior of the tire illustrate portions of the tire for a model vehicle that form no part of the claimed design.

**1 Claim, 3 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

D441,697 S 5/2001 Allison  
 D445,379 S 7/2001 Guspodin et al.  
 D445,381 S 7/2001 Guspodin et al.  
 D456,344 S 4/2002 Rooney  
 D483,718 S \* 12/2003 Hutz ..... B60C 11/01  
 D12/579  
 D487,057 S 2/2004 Rooney et al.  
 D492,644 S 7/2004 Maxwell  
 D492,931 S 7/2004 Maxwell et al.  
 D496,328 S 9/2004 Shondel et al.  
 D500,010 S 12/2004 Maziarka et al.  
 D504,656 S 5/2005 Green et al.  
 D505,382 S 5/2005 Green et al.  
 D505,385 S 5/2005 Green et al.  
 6,920,906 B2 \* 7/2005 Allison ..... B60C 11/01  
 152/209.16  
 D508,674 S 8/2005 Dumigan et al.  
 D511,738 S 11/2005 Maxwell  
 D512,369 S \* 12/2005 Lo ..... B60C 11/01  
 D12/548  
 D512,959 S 12/2005 Fukunaga  
 D514,501 S 2/2006 Nishimori  
 D522,450 S 6/2006 Gerasimczuk  
 D524,725 S 7/2006 Gerasimczuk  
 D534,485 S 1/2007 Nakamura  
 D534,487 S 1/2007 Dumigan et al.  
 D535,248 S 1/2007 Ashton et al.  
 D535,610 S 1/2007 Morito et al.  
 D535,611 S 1/2007 Sundkvist et al.  
 D544,830 S 6/2007 Umstot et al.  
 D556,673 S 12/2007 Missik-Gaffney et al.  
 D556,674 S 12/2007 Missik-Gaffney et al.  
 D568,233 S 5/2008 Dixon et al.  
 D577,658 S 9/2008 Murata  
 D594,401 S 6/2009 Guidry  
 D601,487 S 10/2009 Ebel et al.  
 D619,529 S 7/2010 Georges et al.  
 D621,342 S \* 8/2010 Osaka ..... D12/579  
 D627,709 S \* 11/2010 Harvey ..... D12/579  
 D632,244 S 2/2011 Green  
 D634,265 S \* 3/2011 Shan ..... D12/579

D653,195 S \* 1/2012 Sareen ..... D12/579  
 D653,196 S 1/2012 Buchinger-Barnstorf  
 D653,198 S 1/2012 Buchinger-Barnstorf  
 D668,204 S 10/2012 Leendertse et al.  
 D671,486 S 11/2012 Rooney et al.  
 D691,943 S \* 10/2013 Ma ..... D12/579  
 D706,707 S 6/2014 Jacobs  
 D707,620 S 6/2014 Barajas et al.  
 D709,435 S 7/2014 Jacobs  
 D713,328 S 9/2014 Umstot et al.  
 D719,083 S 12/2014 Hayashi  
 D732,463 S 6/2015 Petr et al.  
 D743,874 S 11/2015 Philipot et al.  
 D753,056 S 4/2016 Kuwano  
 D767,474 S 9/2016 Reim et al.  
 D775,061 S 12/2016 Ishiguro et al.  
 D781,777 S 3/2017 Hayashi  
 D783,510 S 4/2017 Thornburg  
 D785,548 S 5/2017 Fukunaga et al.  
 D791,687 S \* 7/2017 Sueyoshi ..... D12/579  
 D795,796 S 8/2017 Johnson  
 D796,426 S \* 9/2017 Liu ..... D12/536

OTHER PUBLICATIONS

Interco Tire, "TM Appl'n. No. 74279000" Interco Tire Corporation, Rayne LA USA, May 27, 1992.  
 TRAXXAS, www.traxxas.com archive web page Jul. 10, 2004, Traxxas LP, Plano TX USA, Jul. 10, 2004.  
 TRAXXAS, "REVO Owners Manual", Traxxas LP, Plano TX USA; Jul. 2004.  
 TRAXXAS, "REVO Service and Support Guide / Parts List", Traxxas LP, Plano TX USA; Jul. 2004.  
 TRAXXAS, "REVO Power.Precision.Balance" product announcement web pages, traxxas.com; Traxxas LP, Plano, TX USA, Apr. 8, 2004.  
 Kumho Tire; <http://www.kumhousa.com/tire/category/truck-suv/F8656BD8-0A87-4166-82B5-0DF52D4AC17E>; Sep. 2016.  
 TRAXXAS; Tires, Maxx AT; Sep. 2016.  
 Traxxas [online] found Jan. 2, 2018 from URL <https://traxxas.com/products/parts/8369Bt=overview>.

\* cited by examiner




FIG. 1




FIG. 3





FIG. 2



**FIG. 4**