



US00D840546S

(12) **United States Design Patent** (10) **Patent No.:** **US D840,546 S**
Xiangmei (45) **Date of Patent:** **** Feb. 12, 2019**

(54) **LED INFRARED DEVICE AND CHARGING BASE IN COMBINATION**

(71) Applicant: **OMM IMPORTS INC.**, Doral, FL (US)

(72) Inventor: **Huang Xiangmei**, Shenzhen (CN)

(73) Assignee: **OMM Imports Inc.**, Doral, FL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/605,762**

(22) Filed: **May 30, 2017**

(30) **Foreign Application Priority Data**

Oct. 31, 2016 (CN) 2016 3 0519858

(51) **LOC (11) Cl.** **28-03**

(52) **U.S. Cl.**
USPC **D24/209**

(58) **Field of Classification Search**
USPC D24/107, 186, 158, 231, 200, 209, 210,
D24/214, 215, 187; D26/37-39; D28/9;
D29/102, 103

CPC A61N 5/0616; A61N 5/0617; A61N 5/062;
A61N 5/0627; A61N 5/0625; A61N
2005/0643; A61N 2005/0644; A61N
2005/0645; A61N 2005/0647; A61N
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D347,283 S * 5/1994 Von Winckler D24/200
D366,703 S * 1/1996 Huen D13/108
(Continued)

Primary Examiner — Anhdao Doan

(74) *Attorney, Agent, or Firm* — Laurence A. Greenberg;
Werner H. Stemer; Ralph E. Locher

(57) **CLAIM**

The ornamental design for an LED infrared device and charging base in combination, as shown and described.

DESCRIPTION

FIG. 1 is a right side elevation view of the LED infrared device and charging base in combination showing my new invention;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a left side elevation view thereof;

FIG. 4 is a rear elevation view thereof;

FIG. 5 is a right perspective view thereof;

FIG. 6 is a left perspective view thereof;

FIG. 7 is a top plan view thereof; and

FIG. 8 is a bottom plan view thereof;

FIG. 9 is a right side elevation view of the LED infrared device showing my new invention;

FIG. 10 is a front elevation view thereof;

FIG. 11 is a left side elevation view thereof;

FIG. 12 is a rear elevation view thereof;

FIG. 13 is a right perspective view thereof;

FIG. 14 is a left perspective view thereof;

FIG. 15 is a top plan view thereof; and

FIG. 16 is a bottom plan view thereof;

FIG. 17 is a right side elevation view of the charging base for the LED infrared device showing my new invention;

FIG. 18 is a front elevation view thereof;

FIG. 19 is a left side elevation view thereof;

FIG. 20 is a rear elevation view thereof;

FIG. 21 is a right perspective view thereof;


FIG. 22 is a left perspective view thereof;

FIG. 23 is a top plan view thereof; and,

FIG. 24 is a bottom plan view thereof.

The broken lines immediately adjacent the shaded areas represent the bounds of the claim, while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 24 Drawing Sheets



(58) **Field of Classification Search**

CPC 2005/0651; A61N 2005/0652; A61B
2018/00452; A61B 2018/1807

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D596,748 S *	7/2009	Oberreiter	D24/210
D711,538 S *	8/2014	Youngquist	D24/158
D782,685 S *	3/2017	Pippel	D24/186
D791,960 S *	7/2017	Guanying	D24/209
2006/0030908 A1 *	2/2006	Powell	A61N 5/0616 607/88

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24