

US00D840564S

(12) **United States Design Patent**
Nakajima et al.

(10) **Patent No.:** **US D840,564 S**

(45) **Date of Patent:** **** Feb. 12, 2019**

(54) **REAR COMBINATION LAMP FOR AN
AUTOMOBILE**

D566,306 S * 4/2008 Hsu D26/28
D590,525 S * 4/2009 Yang D26/28

* cited by examiner

(71) Applicant: **Nissan Motor Co., Ltd.**, Yokohama,
Kanagawa (JP)

Primary Examiner — Marcus A Jackson

(72) Inventors: **Takeshi Nakajima**, Kanagawa (JP);
Hisatsugu Hirabayashi, Kanagawa (JP)

(57) **CLAIM**

The ornamental design for a rear combination lamp for an automobile, as shown and described.

(73) Assignee: **Nissan Motor Co., Ltd.**, Yokohama
(JP)

DESCRIPTION

(**) Term: **15 Years**

FIG. 1 is a front elevational view of a rear combination lamp for an automobile in accordance with a first embodiment of our new design;

(21) Appl. No.: **29/597,546**

FIG. 2 is a rear elevational view thereof;

(22) Filed: **Mar. 17, 2017**

FIG. 3 is a top plan view thereof;

(30) **Foreign Application Priority Data**

Sep. 20, 2016 (JP) 2016-020251

FIG. 4 is a bottom plan view thereof;

(51) **LOC (11) Cl.** **26-06**

FIG. 5 is a left side elevational view thereof;

(52) **U.S. Cl.**

USPC **D26/28**

FIG. 6 is a right side elevational view thereof; and,

(58) **Field of Classification Search**

USPC D26/28-36

CPC F21S 48/00; F21S 48/10; F21S 48/115;
F21S 48/225; F21S 48/1233; F21S
48/1266; F21S 48/1388; F21S 48/2268;
F21V 21/04; B60Q 9/13; B60Q 9/135;
B60Q 9/1375

FIG. 7 is a front side perspective view thereof.

See application file for complete search history.

The rear combination lamp is configured to be mounted to an automobile. The mounting structure and support structure of the rear combination lamp, shown in broken lines in FIGS. 1 to 7, form no part of the claimed design since the mounting structure and support structure are hidden when the rear combination lamp is mounted to the automobile.

In addition, the appearance of the rear side structures of the rear combination lamp as shown in broken lines in FIGS. 2 to 6 is for purpose of illustrating the boundaries of the exterior surface of the rear combination lamp, and forms no part of the claimed design. The rear combination lamp has a front lens that is transparent such that features behind the lens are at least partially visible as illustrated.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D506,277 S * 6/2005 Ito D26/28
D523,978 S * 6/2006 Chuang D26/28
D542,949 S * 5/2007 Lin D26/28

A second embodiment of our new design is identical to the first embodiment. The second embodiment of our new design includes the mirror image of the rear combination lamp shown in FIGS. 1 to 7.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7