



US00D840813S

(12) **United States Design Patent** (10) **Patent No.:** **US D840,813 S**
Holmes (45) **Date of Patent:** **** Feb. 19, 2019**

(54) **CLOSURE**

B65D 2543/00296; B65D 5/46; B65D 2251/00

(71) Applicant: **Closure Systems International Inc.**,
Lake Forest, IL (US)

See application file for complete search history.

(72) Inventor: **Larry Holmes**, Fishers, IN (US)

(56) **References Cited**

(73) Assignee: **Closure Systems International Inc.**,
Lake Forest, IL (US)

U.S. PATENT DOCUMENTS

(**) Term: **15 Years**

D18,622 S *	9/1888	Curtice	D9/452
1,848,773 A *	3/1932	Fison	B65D 45/32 215/274
1,981,414 A *	11/1934	Hermani	B65D 41/0492 215/334
D154,204 S *	6/1949	Jung	D9/453
D198,953 S *	8/1964	Quintal	D19/194
D200,819 S *	4/1965	Perun	D9/434
3,204,801 A *	9/1965	Switzgable, Jr.	B65D 45/32 215/274
D252,208 S *	6/1979	Ooya	D16/219

(21) Appl. No.: **29/661,759**

(22) Filed: **Aug. 30, 2018**

(Continued)

Related U.S. Application Data

(62) Division of application No. 29/594,657, filed on Feb. 21, 2017, now Pat. No. Des. 830,173.

Primary Examiner — Michael A. Pratt

Assistant Examiner — Wendy L Arminio

(74) *Attorney, Agent, or Firm* — Nixon Peabody LLP

(51) **LOC (11) Cl.** **09-07**

(52) **U.S. Cl.**

USPC **D9/443**; D9/452

(57) **CLAIM**

The ornamental design for a closure, as shown and described.

(58) **Field of Classification Search**


USPC D9/414, 415, 424, 425, 434, 435, 436,
D9/443, 444–452, 454–456, 499, 529,
D9/682, 685, 686; D7/387, 391, 392,
D7/392.1, 396.1, 396.2, 396.3, 396.4,
D7/397, 398, 401.1, 507, 509–511, 538,
D7/900; D3/202, 203.2; D28/91, 91.1;
D12/197; D23/249, 260

CPC .. A61J 1/00; A61J 1/1412; B65D 1/00; B65D
1/02; B65D 1/10; B65D 1/46; B65D
2585/56; B65D 2585/545; B65D 41/00;
B65D 41/38; B65D 41/56; B65D 41/62;
B65D 47/00; B65D 47/06; B65D 47/08;
B65D 2543/00046; B65D 2543/00092;

DESCRIPTION

FIG. 1 is a top-perspective view of a closure;
FIG. 2 is a side cross-sectional view of the closure of FIG. 1 taken in the direction of line 2-2;
FIG. 3 is a bottom-perspective view of the closure of FIG. 1;
FIG. 4 is a top plan view of the closure of FIG. 1;
FIG. 5 is a left side elevation view of the closure of FIG. 1;
FIG. 6 is a right side elevation view of the closure of FIG. 1;
FIG. 7 is a front elevation view of the closure of FIG. 1;
FIG. 8 is a back elevation view of the closure of FIG. 1; and,
FIG. 9 is a bottom plan view of the closure of FIG. 1.

(Continued)



The dash-dash broken lines in the drawings depict portions of the closure that form no part of the claimed design.

1 Claim, 4 Drawing Sheets

(56)



References Cited

U.S. PATENT DOCUMENTS

4,290,466 A * 9/1981 Villa B65D 75/5872
 206/216
 D273,942 S * 5/1984 Brueck D9/434
 D276,872 S * 12/1984 Williams D28/91
 D294,680 S * 3/1988 Pappert D9/435
 D353,357 S * 12/1994 Weinberg D12/197
 D354,914 S * 1/1995 Newman D9/453
 D397,320 S * 8/1998 Hoagland, IV D12/197
 6,047,710 A * 4/2000 Irving A45C 13/008
 132/293
 D433,329 S * 11/2000 Hampshire D9/414
 D458,540 S * 6/2002 Clements D9/516

D467,803 S * 12/2002 Brown D9/435
 D478,780 S * 8/2003 Lugo D7/566
 D529,804 S * 10/2006 Lohrman D9/453
 D534,796 S * 1/2007 Falkenburg D23/262
 D544,425 S * 6/2007 Hutchison D12/197
 D560,095 S * 1/2008 Bodum D7/387
 D566,640 S * 4/2008 Holz D12/197
 D622,124 S * 8/2010 Kegg D8/83
 8,087,528 B1 * 1/2012 Scarlett A47G 23/0216
 220/23.89
 D662,869 S * 7/2012 Ballard D12/213
 D673,005 S * 12/2012 Lion D7/354
 D681,459 S * 5/2013 Ramsey D9/452
 D684,455 S * 6/2013 Relyea D8/397
 D698,260 S * 1/2014 Phelps D9/682
 D710,699 S * 8/2014 Phelps D9/452
 D755,633 S * 5/2016 Baughman D9/452
 D756,280 S * 5/2016 Davito D12/197
 D759,342 S * 6/2016 Clements D1/122
 D760,345 S * 6/2016 Campbell D23/206
 D784,240 S * 4/2017 Platto D12/213
 2015/0129600 A1 * 5/2015 Akers B44D 3/127
 220/700

* cited by examiner






FIG. 3




FIG. 4




FIG. 6




FIG. 5




FIG. 8




FIG. 9




FIG. 7