



US00D840854S

(12) **United States Design Patent**  
**Shi et al.**

(10) **Patent No.:** **US D840,854 S**

(45) **Date of Patent:** **\*\* Feb. 19, 2019**

(54) **CYLINDRICAL EMERGENCY SIGNALING DEVICE**

(71) Applicant: **KONE Corporation**, Helsinki (FI)

(72) Inventors: **Yi Min Shi**, ChangZhou (CN); **Aapo Saari**, Espoo (FI); **Visa Rauta**, Hyvinkää (FI)

(73) Assignee: **KONE Corporation**, Helsinki (FI)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/585,452**

(22) Filed: **Nov. 23, 2016**

(30) **Foreign Application Priority Data**

May 25, 2016 (EM) ..... 003151828

(51) **LOC (11) Cl.** ..... **10-05**

(52) **U.S. Cl.**  
USPC ..... **D10/114.1**

(58) **Field of Classification Search**

USPC ..... D10/114.1, 114.9; D26/38, 49; D19/173

CPC ..... B65H 75/182; H04B 11/00; F21V 9/40;

F21L 4/02; F16B 7/0446; A24F 47/008

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,081,568 A \* 1/1992 Dong ..... F21L 4/02  
362/184

D357,882 S \* 5/1995 Nevarez ..... D10/114.9

6,213,623 B1 \* 4/2001 Campman ..... F21V 9/40  
362/202

D450,873 S \* 11/2001 Opolka ..... D19/173

D626,671 S \* 11/2010 Bertken ..... D10/114.9

D643,561 S \* 8/2011 Maglica ..... D26/49

D676,170 S \* 2/2013 Feng ..... D26/38

D682,724 S \* 5/2013 Campman ..... D10/114.9

8,605,552 B1 \* 12/2013 Bustamante ..... H04B 11/00

8,746,609 B2 \* 6/2014 Morello ..... B65H 75/182

8,746,609 B2 \* 6/2014 Morello ..... B65H 75/182

8,746,609 B2 \* 6/2014 Morello ..... B65H 75/182

D808,839 S \* 1/2018 Moeller ..... D10/114.1

D810,978 S \* 2/2018 Windom ..... D26/38

2017/0311644 A1 \* 11/2017 Collett ..... A24F 47/008

2018/0160730 A1 \* 6/2018 Bless ..... A24F 47/008

2018/0168228 A1 \* 6/2018 Reevell ..... A24F 47/008

2018/0255837 A1 \* 9/2018 Levitz ..... F16B 7/0446

\* cited by examiner

*Primary Examiner* — George D. Kirschbaum

(74) *Attorney, Agent, or Firm* — Leason Ellis LLP

(57) **CLAIM**

The ornamental design for a cylindrical emergency signaling device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a cylindrical emergency signaling device;

FIG. 2 is a front view of the design of FIG. 1;


FIG. 3 is a side view of the design of FIG. 1, the other sides being the same;

FIG. 4 is a top view of the design of FIG. 1; and,

FIG. 5 is a bottom view of the design of FIG. 1.

The broken lines depict unclaimed environmental subject matter.

**1 Claim, 3 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5