

US00D840891S

(12) **United States Design Patent** (10) **Patent No.:** **US D840,891 S**
DiCanzio (45) **Date of Patent:** **** Feb. 19, 2019**

(54) **FUEL DOOR**
(71) Applicant: **Turn 5, Inc.**, Malvern, PA (US)
(72) Inventor: **Michael DiCanzio**, West Chester, PA (US)
(73) Assignee: **Turn 5, Inc.**, Malvern, PA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/601,982**
(22) Filed: **Apr. 27, 2017**
(51) **LOC (11) Cl.** **12-16**
(52) **U.S. Cl.**
USPC **D12/197**
(58) **Field of Classification Search**
USPC D12/110, 114, 197, 198, 199, 200, 201, D12/218
CPC F16K 17/36; B65D 51/16; B65D 53/00; B64D 39/00; B60K 15/04
See application file for complete search history.

4,457,325 A * 7/1984 Green B60K 15/03519
137/202
D275,512 S * 9/1984 Shaw D12/197
D275,984 S * 10/1984 Shaw D12/197
6,237,798 B1 * 5/2001 Sung B60K 15/0406
220/375
D537,024 S * 2/2007 Shibuta D12/197
7,281,639 B2 * 10/2007 Yoshida B60K 15/0406
220/288
D566,640 S * 4/2008 Holz D12/197
D594,395 S * 6/2009 Yoshii D12/197
8,038,027 B2 * 10/2011 Ohsawa B60K 15/03504
220/212
D775,041 S * 12/2016 Matsumura D12/197
D816,005 S * 4/2018 Johns D12/197

* cited by examiner

Primary Examiner — Susan Bennett Hattan
Assistant Examiner — Suzanne E Tisdell
(74) *Attorney, Agent, or Firm* — Schott, P.C.

(57) **CLAIM**


The ornamental design for a fuel door, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the fuel door of the present invention in a potential environment;
FIG. 2 is a perspective view of FIG. 1;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.
The broken lines illustrate the design's environment and form no part of the claimed design.

1 Claim, 6 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS
1,687,601 A * 10/1928 Whitley B60K 15/0409
220/323
2,517,372 A * 8/1950 Ambrose B60K 15/0406
220/301
2,720,999 A * 10/1955 Gamundi B64D 37/005
220/246
2,740,548 A * 4/1956 Schultz B64D 37/005
220/238
3,140,794 A * 7/1964 Arndt B60K 15/0406
220/303
4,440,308 A * 4/1984 Baker B60K 15/0406
137/493.8






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8