



US00D841111S

(12) **United States Design Patent**
Proell et al.

(10) **Patent No.:** **US D841,111 S**

(45) **Date of Patent:** **** Feb. 19, 2019**

(54) **PART OF A TELESCOPIC SIGHT FOR A FIREARM**

(71) Applicant: **SWAROVSKI-OPTIK KG., Absam (AT)**

(72) Inventors: **Julian Proell, Linz (AT); Daniel Wilhelm, Linz (AT); Mario Zeppetzauer, Linz (AT)**

(73) Assignee: **Swarovski-Optik KG, Absam (AT)**

(**) Term: **15 Years**

(21) Appl. No.: **29/601,013**

(22) Filed: **Apr. 18, 2017**

Related U.S. Application Data

(62) Division of application No. 35/500,752, filed on Mar. 2, 2016 (U.S. filing date under 35 U.S.C. 384), and having an international filing date of Mar. 2, 2016, now Pat. No. Des. 792,939.

(51) **LOC (11) Cl.** **22-01**

(52) **U.S. Cl.**
USPC **D22/109**

(58) **Field of Classification Search**
USPC D22/108-110; D16/132, 130, 133, 330, D16/134
CPC F41G 11/001; F41G 11/003; F41G 11/004; F41G 1/00; F41G 1/38; F41G 11/005
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,742,635	A	5/1988	Ruger et al.	
D417,679	S	12/1999	Cross et al.	
D668,312	S *	10/2012	Asano	D22/109
D681,152	S *	4/2013	Burzel	D22/109
D689,163	S *	9/2013	Radau	D22/109

D689,582	S *	9/2013	Radau	D22/109
D706,381	S *	6/2014	Gardiner	D22/109
D723,652	S *	3/2015	Radau	D22/109
D728,060	S *	4/2015	Vogl	D22/109
D728,061	S *	4/2015	Vogl	D22/109
D732,633	S *	6/2015	Cheng	D22/109
D741,446	S *	10/2015	Cheng	D22/109
D756,480	S *	5/2016	Kay	D22/109
9,429,390	B2 *	8/2016	Stockdill	F41G 1/38
9,459,440	B2 *	10/2016	Zheng	F41G 1/38
D807,983	S *	1/2018	Shi	D22/109
2016/0327364	A1 *	11/2016	Walker	F41G 1/38

* cited by examiner

Primary Examiner — Michael A. Pratt

(74) *Attorney, Agent, or Firm* — Collard & Roe, P.C.

(57) **CLAIM**

The ornamental design for a part of a telescopic sight for a firearm, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a first embodiment of a part of a telescopic sight for a firearm showing our new design;

FIG. 2 is a front view of the embodiment of FIG. 1;

FIG. 3 is a rear view of the embodiment of FIG. 1;

FIG. 4 is a left side view of the embodiment of FIG. 1;

FIG. 5 is a right side view of the embodiment of FIG. 1;

FIG. 6 is a top view of the embodiment of FIG. 1;

FIG. 7 is a bottom view of the embodiment of FIG. 1;

FIG. 8 is a top, front and left side perspective view of a second embodiment of a part of a telescopic sight for a firearm showing our new design;

FIG. 9 is a front view of the embodiment of FIG. 8;

FIG. 10 is a rear view of the embodiment of FIG. 8;



FIG. 11 is a left side view of the embodiment of FIG. 8;

FIG. 12 is a right side view of the embodiment of FIG. 8;

FIG. 13 is a top view of the embodiment of FIG. 8; and,

FIG. 14 is a bottom view of the embodiment of FIG. 8.

1 Claim, 8 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14