



US00D841140S

(12) **United States Design Patent**
Chen

(10) **Patent No.:** **US D841,140 S**

(45) **Date of Patent:** **** Feb. 19, 2019**

(54) **TOWER HEATER**

(71) Applicants: **GD MIDEA ENVIRONMENT APPLIANCES MFG CO., LTD.**, Guangdong (CN); **MIDEA GROUP CO., LTD.**, Foshan, Guangdong (CN)

(72) Inventor: **Wei Chen**, Guangdong (CN)

(73) Assignees: **GD MIDEA ENVIRONMENT APPLIANCES MFG CO., LTD.**, Zhongshan, Guangdong (CN); **MIDEA GROUP CO., LTD.**, Foshan (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/634,896**

(22) Filed: **Jan. 25, 2018**

(30) **Foreign Application Priority Data**

Jul. 31, 2017 (CN) 2017 3 0345089

(51) **LOC (11) Cl.** **23-03**

(52) **U.S. Cl.**
USPC **D23/336**

(58) **Field of Classification Search**
USPC D23/314, 317, 318, 319, 320, 321, 322, D23/323, 329, 330, 331, 332, 334, 335, D23/333, 336, 337, 338, 339, 340, 341, D23/342, 370, 378, 411, 412, 356, 358, D23/359, 363, 328
CPC F24H 3/00; F24H 3/0411; F24H 3/0417; F24H 9/0063; F24H 9/0073; F24H 9/02; F24H 3/082; F24H 9/2071; F24H 3/002; F24H 3/02; F24H 3/04; F04D 17/04; F04D 25/08; F04D 25/10; F04D 5/00; H05B 3/008
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D396,527 S * 7/1998 Boyle D23/332
D410,074 S * 5/1999 Lee D23/332

D487,140 S * 2/2004 Gao D23/335
D487,141 S * 2/2004 Gao D23/335
D510,618 S * 10/2005 Dooley D23/335
D531,300 S * 10/2006 Dooley D23/378
D543,612 S * 5/2007 Fok D23/336
D566,253 S * 4/2008 Shapiro D23/332
D675,303 S * 1/2013 Raupach D23/364

(Continued)

Primary Examiner — T Chase Nelson

Assistant Examiner — Ania Aman

(74) *Attorney, Agent, or Firm* — Morgan, Lewis & Bockius LLP


(57) **CLAIM**

The ornamental design for a tower heater, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a tower heater showing my new design;
FIG. 2 is a front elevational view of the tower heater shown in FIG. 1;
FIG. 3 is a rear elevational view of the tower heater shown in FIG. 1;
FIG. 4 is a left-side elevational view of the tower heater shown in FIG. 1;
FIG. 5 is a right-side elevational view of the tower heater shown in FIG. 1;
FIG. 6 is a top plan view of the tower heater shown FIG. 1; and,
FIG. 7 is a bottom plan view of the tower heater shown in FIG. 1.
The broken lines immediately adjacent the shaded areas represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D735,843 S *	8/2015	Sunwoo	D23/333
D791,290 S *	7/2017	Shapiro	D23/332
D819,189 S *	5/2018	Chen	D23/332

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7