



US00D841153S

(12) **United States Design Patent** (10) **Patent No.:** **US D841,153 S**
Kokubo (45) **Date of Patent:** **** Feb. 19, 2019**

(54) **CHILD-PROOF CAP FOR AN EYE DROP CONTAINER**

(71) Applicant: **Rohto Pharmaceutical Co., Ltd.**,
Osaka (JP)

(72) Inventor: **Shigehiko Kokubo**, Osaka (JP)

(73) Assignee: **ROHTO PHARMACEUTICAL CO., LTD.**, Osaka (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/581,607**

(22) Filed: **Oct. 20, 2016**

(30) **Foreign Application Priority Data**

Apr. 21, 2016 (JP) 2016-008869

(51) **LOC (11) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/127**

(58) **Field of Classification Search**

USPC D24/110, 115, 116, 118, 121, 129, 127;
D9/529, 435, 444, 558, 574, 504, 516,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,375,636 A * 5/1945 Eddins A61F 9/0008
215/6
2,516,818 A * 7/1950 West A61F 9/0008
604/217

(Continued)

FOREIGN PATENT DOCUMENTS

GB 1414957 A 11/1975
JP 1079881 S 7/2000

(Continued)

Primary Examiner — Garth Rademaker

Assistant Examiner — Samantha Q. Lawrence

(74) *Attorney, Agent, or Firm* — Kenja IP Law PC

(57) **CLAIM**

The ornamental design for a child-proof cap for an eye drop container, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a child-proof cap for an eye drop container showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a front view thereof shown in a position of use attached to an exemplary eye drop container;

FIG. 4 is an exploded front view thereof, showing the cap comprising the turnable upper component and the base component, detached from an exemplary eye drop container;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a right side view thereof;

FIG. 8 is a front perspective view thereof, showing the upper component of the cap is turned at an angle;

FIG. 9 is a front view thereof, showing the upper component of the cap is turned at an angle;


FIG. 10 is a right side view thereof, showing the upper component of the cap is turned at an angle;

FIG. 11 is a top view thereof, showing the upper component of the cap is turned at an angle; and,

FIG. 12 is a bottom view thereof, showing the upper component of the cap is turned at an angle.

The broken lines shown in FIGS. 1-12 illustrate portions of the child-proof cap for an eye drop container that form no part of the claimed design. The broken lines shown in FIGS. 3 and 4 that illustrate the eye drop container illustrate environment and form no part of the claimed design. The dash-dot-dash lines directly adjacent to the claimed areas shown in FIGS. 1-5 and FIGS. 7-11 illustrate a boundary and form no part of the claimed design.

1 Claim, 12 Drawing Sheets



(58) Field of Classification Search

USPC D9/544, 549; 215/273, 283, 285, 329;
220/212
CPC A61F 9/0008; A61F 9/0026; A61F
2230/0091; A61F 2250/0004; B65D
47/18; A61H 35/02; A61M 35/003; A61M
35/00
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

3,171,136 A * 3/1965 Gibson A61F 5/455
4/144.4
4,909,801 A * 3/1990 Casey A61F 9/0026
222/210
D336,614 S * 6/1993 Crawford D9/529
5,485,872 A * 1/1996 Kerger B65D 47/02
141/18
D415,037 S * 10/1999 Pritchard D9/571
D463,291 S * 9/2002 Kokubo D9/549
D463,984 S * 10/2002 Kokubo D9/549
D527,640 S * 9/2006 Cummings D9/529
D527,815 S * 9/2006 Nishibayashi D24/110
D527,816 S * 9/2006 Nishibayashi D24/110

D527,817 S * 9/2006 Ziegler D24/110
D528,654 S * 9/2006 Nishibayashi D24/110
D541,164 S * 4/2007 Yamasaki D9/529
D546,442 S * 7/2007 Collins D24/115
D546,939 S * 7/2007 Collins D24/110
D552,230 S * 10/2007 Collins D24/110
D552,232 S * 10/2007 Collins D24/110
D552,730 S * 10/2007 Collins D24/110
D597,410 S * 8/2009 Carmody D9/529
D613,395 S * 4/2010 Nakao D24/110
D613,397 S * 4/2010 Nakao D24/110
D628,490 S * 12/2010 Sato D9/435
D693,690 S * 11/2013 Wakui D9/516
D733,288 S * 6/2015 Althorpe D24/110
D806,858 S * 1/2018 Lu D24/110
D829,555 S * 10/2018 Kokubo D9/529
2011/0024426 A1 * 2/2011 Kokubo B65D 41/485
220/315
2011/0031207 A1 * 2/2011 Kokubo A61F 9/0008
215/43

FOREIGN PATENT DOCUMENTS

JP 1080346 S 7/2000
JP 1080347 S 7/2000

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12

