



US00D841204S

(12) **United States Design Patent** (10) **Patent No.:** **US D841,204 S**
Badstuebner et al. (45) **Date of Patent:** **** Feb. 19, 2019**

(54) **HEADLIGHT OF A VEHICLE**

D809,682 S * 2/2018 Lin D26/28
D822,241 S * 7/2018 Lee D26/28
D822,242 S * 7/2018 Lee D26/28

(71) Applicant: **Daimler AG**, Stuttgart (DE)

(Continued)

(72) Inventors: **Achim-Dietrich Badstuebner**, Munich (DE); **Denis Di Pardo**, Nufringen (DE); **Stefan Handt**, Stuttgart (DE); **Robert Lesnik**, Leonberg (DE)

Primary Examiner — Angela J Lee

(74) *Attorney, Agent, or Firm* — Crowell & Moring LLP

(73) Assignee: **Daimler AG**, Stuttgart (DE)

(57) **CLAIM**

(**) Term: **15 Years**

The ornamental design for a headlight for a vehicle, as shown and described.

(21) Appl. No.: **29/606,016**

(22) Filed: **Jun. 1, 2017**

DESCRIPTION

(30) **Foreign Application Priority Data**

Dec. 2, 2016 (WO) DM/093783

(51) **LOC (11) Cl.** **26-07**

(52) **U.S. Cl.**
USPC **D26/28**

(58) **Field of Classification Search**
USPC D26/28, 29, 30, 31, 32, 33, 34, 35, 36;
362/459-468, 475-478, 485-487
CPC F21S 48/00; F21S 48/10; F21S 48/115;
F21S 48/225; F21S 48/1233; F21S
48/1266; F21S 48/1388; F21S 48/2268;
F21V 21/04
See application file for complete search history.


This application contains subject matter related to the following co-pending U.S. design patent applications: Application Ser. No. 29/606,012, filed herewith and entitled “Vehicle, Toy, and/or Replicas Thereof”; and Application Ser. No. 29/606,013, filed herewith and entitled “Front Portion of a Vehicle, Toy, and/or Replicas Thereof”. FIG. 1 is a front view of a first embodiment of a headlight for a vehicle according to the design; FIG. 2 is a top perspective view thereof; and FIG. 3 is a right perspective view thereof. FIG. 4 is a front view of a second embodiment of the headlight for a vehicle according to the design; FIG. 5 is a top perspective view thereof; and FIG. 6 is a left perspective view thereof. FIG. 7 is a front view of a third embodiment of the headlight for a vehicle according to the design; FIG. 8 is a top perspective view thereof; and FIG. 9 is a right perspective view thereof. FIG. 10 is a front view of a fourth embodiment of the headlight for a vehicle according to the design; FIG. 11 is a top perspective view thereof; and FIG. 12 is a left perspective view thereof. The broken lines in the drawings illustrate environmental subject matter only and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D593,233 S * 5/2009 Bai D26/28
D674,938 S * 1/2013 Lai D26/28
D740,978 S * 10/2015 Lee D26/28
D743,065 S * 11/2015 Weil D26/28
D787,721 S * 5/2017 Lai D26/28
D797,332 S * 9/2017 Lin D26/28
D802,812 S * 11/2017 Lai D26/28
D807,549 S * 1/2018 Lin D26/28

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D824,058 S * 7/2018 Hong D26/28
D827,885 S * 9/2018 Hannemann D26/28

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12