



US00D841315S

(12) **United States Design Patent**  
**Ricks**

(10) **Patent No.:** **US D841,315 S**

(45) **Date of Patent:** **\*\* Feb. 26, 2019**

(54) **LANYARD**

D524,184 S \* 7/2006 Watanabe ..... D11/5  
8,527,028 B2 \* 9/2013 Kurzweil ..... A61B 5/0408  
600/382

(71) Applicant: **Thomas Ricks**, Suffolk, VA (US)

(72) Inventor: **Thomas Ricks**, Suffolk, VA (US)

\* cited by examiner

(\*\*) Term: **15 Years**

*Primary Examiner* — Randall H Gholson

(21) Appl. No.: **29/567,446**

(22) Filed: **Jun. 9, 2016**

(51) **LOC (11) Cl.** ..... **03-01**

(52) **U.S. Cl.**

USPC ..... **D3/215**; D11/200

(58) **Field of Classification Search**

USPC ..... D11/1, 2, 200, 201, 206–210, 214–218,  
D11/86, 87; D3/327, 215, 318;  
24/163 R, 169–171, 173, 177–179, 191,  
24/194, 195, 197, 198, 200, 614–616,  
24/625; D8/383; 11/25

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

263,600 A \* 8/1882 Searing ..... G09F 3/14  
229/74

5,765,875 A \* 6/1998 Rowley ..... B42F 5/00  
281/29

(57) **CLAIM**


The ornamental design for a lanyard, as shown and described.


**DESCRIPTION**

FIG. 1 is a front elevational view of my new design for a lanyard, the rear elevational view is a mirror image thereof; FIG. 2 is a right side rear perspective view thereof; FIG. 3 is a bottom front perspective view thereof; FIG. 4 is a bottom rear perspective view thereof; and, FIG. 5 is a front side perspective view thereof.

The broken lines showing a person are environmental only and form no part of my claimed design.

**1 Claim, 5 Drawing Sheets**








Fig. 2





Fig.3

Fig.4






Fig.5