



US00D841350S

(12) **United States Design Patent** (10) **Patent No.:** **US D841,350 S**
Smith et al. (45) **Date of Patent:** **** Feb. 26, 2019**

(54) **VEHICLE SEAT**
(71) Applicant: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)
(72) Inventors: **Luke Smith**, Coventry (GB); **Steve Piantoni**, Coventry (GB)
(73) Assignee: **Jaguar Land Rover Limited**, Whitley, Coventry (GB)

D587,025 S * 2/2009 Juraschek D6/356
D590,611 S * 4/2009 Higashida D6/356
D590,612 S * 4/2009 Zhang D6/356
D614,879 S * 5/2010 Higashida D6/356
D650,189 S * 12/2011 Nakaminami D6/356
D771,399 S * 11/2016 Buffery D6/356
9,637,035 B2 * 5/2017 Abe B60N 2/646
D799,224 S * 10/2017 Callum D6/356
D804,205 S * 12/2017 Godard D6/356
9,914,382 B2 * 3/2018 De Nichilo B60N 2/72

(**) Term: **15 Years**
(21) Appl. No.: **29/626,870**
(22) Filed: **Nov. 21, 2017**

(30) **Foreign Application Priority Data**
Jun. 27, 2017 (EM) 004069011
Jun. 28, 2017 (EM) 004071363
(51) **LOC (11) Cl.** **06-04**
(52) **U.S. Cl.**
USPC **D6/356**
(58) **Field of Classification Search**
USPC D6/334, 356, 360, 369, 370, 374, 376,
D6/716, 716.1, 716.2, 716.3, 716.4,
D6/716.5, 716.7; D21/521, 533, 548
CPC A61H 2201/0149; B60N 2/06; B60N 2/20;
B60N 2/22; B60N 2/58; B60N 2/68;
B60N 2/80; B60N 2/643; B60N 2/888;
B60N 2/859; B60N 2/1615; B60N
2/7035; B60N 2/42745; B60N 2002/0272;
B60N 2205/35
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D396,152 S * 7/1998 Beermann D6/356
D453,078 S * 1/2002 Yamazaki D6/356
D574,619 S * 8/2008 Maezono D6/356

OTHER PUBLICATIONS

“2018 Jaguar XE SV Project 8” Jun. 28, 2017, topspeed.com, site visited Aug. 14, 2018 <<https://www.topspeed.com/cars/jaguar/2018-jaguar-xe-sv-project-8-ar176711.html>> (Year: 2017).*

* cited by examiner

Primary Examiner — Kevin K Rudzinski
Assistant Examiner — Paul D Bohannon
(74) *Attorney, Agent, or Firm* — Wood Herron & Evans LLP

(57) **CLAIM**

The ornamental design for a vehicle seat, as shown and described.

DESCRIPTION

FIG. 1 is a front right perspective view of a vehicle seat according to the present invention.
FIG. 2 is a front left perspective view of the vehicle seat shown in FIG. 1.
FIG. 3 is a rear left perspective view thereof.
FIG. 4 is a rear right perspective view thereof.
FIG. 5 is a front view thereof.
FIG. 6 is a rear view thereof.
FIG. 7 is a left side view thereof.
FIG. 8 is a right side view thereof; and,
FIG. 9 is a top view thereof.

1 Claim, 9 Drawing Sheets






FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9