



US00D841473S

(12) **United States Design Patent**
Omdahl, II

(10) **Patent No.:** **US D841,473 S**

(45) **Date of Patent:** **** Feb. 26, 2019**

(54) **CONTAINER**

(71) Applicant: **Runway Blue, LLC**, Lehi, UT (US)

(72) Inventor: **John R. Omdahl, II**, Lindon, UT (US)

(73) Assignee: **Runway Blue, LLC**, Alpine, UT (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/592,734**

(22) Filed: **Feb. 1, 2017**

(51) **LOC (11) Cl.** **09-01**

(52) **U.S. Cl.**

USPC **D9/530**; D9/552; D9/565; D7/529

(58) **Field of Classification Search**

USPC D7/507, 509, 510, 511, 523, 602, 305,
D7/400, 397, 388, 529, 532, 392.1, 396.2,
D7/667, 533, 536, 531; D9/500, 501,
D9/502, 518, 531, 532, 530, 571, 551,
D9/539, 775, 434, 435, 565, 552;
220/592.16, 592.17

CPC A47G 19/22; A47G 19/2205; A47G
19/2266; A45F 3/16; A47J 43/27; A47J
41/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D234,292 S *	2/1975	Plummer	D9/500
D254,841 S *	4/1980	Neu	D9/503
D333,268 S *	2/1993	Arlinghaus	D9/538
D404,311 S *	1/1999	Zimmer	D9/552
D415,429 S *	10/1999	Rausch	D7/510
D427,909 S *	7/2000	Doritty	D9/500
D436,296 S *	1/2001	Freed	D7/517
D446,727 S *	8/2001	Cummings	D9/530
D464,849 S *	10/2002	Norris	D7/510

D466,023 S *	11/2002	Eickmeier	D9/552
D469,696 S *	2/2003	Bryant	D9/538
D491,808 S *	6/2004	Lane	D9/434
D492,902 S *	7/2004	Lane	D9/434
D506,142 S *	6/2005	Gauthier	D9/560
D538,657 S *	3/2007	Webb	D9/500
D542,666 S *	5/2007	Trude	D9/551
D557,139 S *	12/2007	Pierre	D9/520
D561,035 S *	2/2008	Leslie	D9/537
D569,187 S *	5/2008	Sandberg	D7/509
D583,243 S *	12/2008	Botti	D9/530
D584,107 S *	1/2009	George	D7/510
D603,268 S *	11/2009	Bourne	D9/520
D603,709 S *	11/2009	Lepoitevin	D9/520
D605,517 S *	12/2009	Caldwell	D9/500
D623,950 S *	9/2010	Eugui	D9/516
D625,561 S *	10/2010	Ablo	D7/511

(Continued)

Primary Examiner — Marianne N Pandozzi

Assistant Examiner — Jae Liang

(74) *Attorney, Agent, or Firm* — Maschoff Brennan; Paul G. Johnson


(57) **CLAIM**

The ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a container showing my new design;
FIG. 2 is a front view of the container shown in FIG. 1;
FIG. 3 is a rear view of the container shown in FIG. 1;
FIG. 4 is a left side view of the container shown in FIG. 1;
FIG. 5 is a right side view of the container shown in FIG. 1;
FIG. 6 is a top view of the container shown in FIG. 1; and,
FIG. 7 is a bottom view of the container shown in FIG. 1.
The broken lines in the drawings depict portions of the container that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D635,461	S *	4/2011	Inoi	D9/538
D658,944	S *	5/2012	Gilbert	D7/511
D663,623	S *	7/2012	Slubski	D9/537
D663,625	S *	7/2012	Warneke	D9/539
RE45,055	E *	8/2014	Roth	D7/392.1
D717,660	S *	11/2014	Schmertz, Jr.	D9/552
D719,449	S *	12/2014	Eaton	D9/516
D728,374	S *	5/2015	Doerr	D9/550
D731,317	S *	6/2015	Li	D9/552
D738,734	S *	9/2015	Cripe	D9/538
D742,175	S *	11/2015	Rashid	D7/510
D744,843	S *	12/2015	Llewellyn	D9/449
D753,504	S *	4/2016	Miller	D9/516
D760,027	S *	6/2016	Meyers	D7/510
D767,993	S *	10/2016	Joshi	D9/538
D777,518	S *	1/2017	Frazier	D7/510
D784,814	S *	4/2017	Rodriguez	D9/500
D787,945	S *	5/2017	Rashid	D9/539
D792,742	S *	7/2017	Meyers	D7/523
D797,512	S *	9/2017	O'Connor	D7/523
9,790,007	B2 *	10/2017	Sorensen	A47G 19/00
D804,312	S *	12/2017	Thivolet	D9/520
D813,044	S *	3/2018	Annetts	D9/539
D821,818	S *	7/2018	Eyal	D7/529
D824,729	S *	8/2018	Fitchko	D7/529
10,085,543	B2 *	10/2018	Breit	A45F 3/16
2007/0257003	A1 *	11/2007	Colloud	B65D 1/0223
				215/382
2015/0201774	A1 *	7/2015	Sorensen	A47G 19/2272
				220/715

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7