



US00D841622S

(12) **United States Design Patent**
Cheney

(10) **Patent No.:** **US D841,622 S**

(45) **Date of Patent:** **** Feb. 26, 2019**

(54) **RUGGED SPEAKER WITH STRAP**

(71) Applicant: **Zagg Amplified, Inc.**, Midvale, UT
(US)

(72) Inventor: **John Craig Cheney**, Orem, UT (US)

(73) Assignee: **ZAGG Amplified, Inc.**, Midvale, UT
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/589,791**

(22) Filed: **Jan. 4, 2017**

(51) **LOC (11) Cl.** **14-01**

(52) **U.S. Cl.**
USPC **D14/210**

(58) **Field of Classification Search**
USPC D14/167, 168, 170–172, 188, 194–196,
D14/204, 207, 209.1, 210–216, 219, 221,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D303,968 S * 10/1989 Tsujimoto D14/171
D334,386 S * 3/1993 Yamazaki D14/172
(Continued)

FOREIGN PATENT DOCUMENTS

WO WO-2009018674 A1 * 2/2009 A45C 15/00
WO WO-2011059144 A1 * 5/2011 H04R 19/02

OTHER PUBLICATIONS

GUY Jewels. <https://www.guyjewels.com/products/boas-mini-bluetooth-wireless-speaker-portable-outdoor-sport-music-sound-box-bass-subwoofer-handsfree-with-mic-for-iphone-xiaomi>. Date Unknown: Viewed Sep. 2018 (Year: 2018).*

Primary Examiner — R. Johnson

(74) *Attorney, Agent, or Firm* — Durham Jones & Pinegar; Sarah W. Matthews

(57) **CLAIM**

The ornamental design for a rugged speaker with strap, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view of a rugged speaker with strap.

FIG. 2 is a front perspective view of the rugged speaker with strap of FIG. 1.

FIG. 3 is a front view of the rugged speaker with strap of FIG. 1.

FIG. 4 is a rear view of the rugged speaker with strap of FIG. 1.

FIG. 5 is a right side view of the rugged speaker with strap of FIG. 1.

FIG. 6 is a left side view of the rugged speaker with strap of FIG. 1.

FIG. 7 is a top view of the rugged speaker with strap of FIG. 1.

FIG. 8 is a bottom view of the rugged speaker with strap of FIG. 1.

FIG. 9 is a rear perspective view of a rugged speaker with strap showing the strap disconnected.

FIG. 10 is a front perspective view of the rugged speaker with strap thereof.

FIG. 11 is a front view of the rugged speaker with strap thereof.

FIG. 12 is a rear view of the rugged speaker with strap thereof.



FIG. 13 is a right side view of the rugged speaker with strap thereof.

FIG. 14 is a left side view of the rugged speaker with strap thereof.

FIG. 15 is a top view of the rugged speaker with strap thereof; and,

FIG. 16 is a bottom view of the rugged speaker with strap thereof.

(Continued)



The broken lines in the drawings illustrate portions of the rugged speaker with strap which form no part of the claimed design.

1 Claim, 8 Drawing Sheets

(58) **Field of Classification Search**

USPC D14/222, 496; 181/198, 199; 381/300,
381/303, 332, 334, 336, 345
CPC H04R 1/02; H04R 1/021; H04R 1/025;
H04R 1/026; H04R 1/028; H04R 1/34;
H04R 1/40; H04R 1/323; H04R 1/403;
H04R 1/345; H04R 1/2803; H04R
1/2834; H04R 5/02; H04R 9/06; H04R
2201/021; H04R 2400/00; H04R 2400/01;
H04R 2400/03; B60R 11/0217; G06F
1/1688; G10K 9/22; H03F 1/327; H04N
5/642

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D582,392 S	*	12/2008	Pauschitz	D14/215
D678,908 S	*	3/2013	Lee	D14/203.3
D754,092 S	*	4/2016	Mackiewicz	D14/172
D756,967 S	*	5/2016	Manz	D14/214
D766,875 S	*	9/2016	Holzer	D14/214
D799,686 S	*	10/2017	Liu	D23/412
D801,949 S	*	11/2017	Bailey	D14/214
D819,592 S	*	6/2018	Folkmann	D14/149
D823,894 S	*	7/2018	Ullits	D14/496

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16