



US00D841778S

(12) **United States Design Patent** (10) **Patent No.:** **US D841,778 S**
Ando et al. (45) **Date of Patent:** **** Feb. 26, 2019**

(54) **COMBINATION FAUCET OF HOT WATER AND WATER**

(71) Applicant: **LIXIL Corporation**, Tokyo (JP)

(72) Inventors: **Yoshihiko Ando**, Tokyo (JP); **Kousuke Yasuma**, Tokyo (JP); **Hiromi Awada**, Tokyo (JP); **Nobuaki Itazu**, Tokyo (JP)

(73) Assignee: **LIXIL CORPORATION**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/573,593**

(22) Filed: **Aug. 8, 2016**

(30) **Foreign Application Priority Data**

Feb. 8, 2016 (JP) 2016-002690

Feb. 8, 2016 (JP) 2016-002697

(51) **LOC (11) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/238**

(58) **Field of Classification Search**
USPC D23/238–242, 249–250, 252, 254–255, D23/257; D8/307–308, 311
CPC ... Y10T 137/9464; E03C 1/04; E03C 1/0401; E03C 1/0402; E03C 1/0404; E03C 1/0405; E03C 1/0412
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D580,021 S * 11/2008 Chu D23/255
D586,881 S * 2/2009 Lammel D23/238
D591,398 S * 4/2009 Lammel D23/238
D597,175 S * 7/2009 Kulig D23/238
D662,183 S * 6/2012 Sieger D23/238
D667,933 S * 9/2012 Kwok D23/238
D677,367 S * 3/2013 Chen D23/255
D694,859 S * 12/2013 Lammel D23/238

(Continued)

Primary Examiner — Robert A Delehanty

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, P.C.


(57) **CLAIM**

The ornamental design for a combination faucet of hot water and water, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right perspective view of a combination faucet of hot water and water showing our new design; FIG. 2 is a top, rear, left perspective view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a right side view thereof, the left side being a mirror image thereof; and FIG. 8 is a right side view of the combination faucet of hot water and water in which the spout, pin, and body are separated; FIG. 9 is a top, front, right perspective view of another embodiment of a combination faucet of hot water and water showing our new design; FIG. 10 is a top, rear, left perspective view thereof; FIG. 11 is a front elevational view thereof; FIG. 12 is a rear elevational view thereof; FIG. 13 is a top plan view thereof; FIG. 14 is a bottom plan view thereof; FIG. 15 is a right side view thereof, the left side being a mirror image thereof; and, FIG. 16 is a right side view of the combination faucet of hot water and water in which the spout, pin, rubber seal, and body are separated. The broken lines illustrate portions of the combination faucet of hot water and water which form no part of the claimed design.

1 Claim, 16 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D752,188 S	*	3/2016	Schoenherr	D23/257
D771,224 S	*	11/2016	Flowers	D23/238
D811,552 S	*	2/2018	Fritz	D23/255

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG. 6




FIG. 7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG.16