



US00D841790S

(12) **United States Design Patent** (10) **Patent No.:** **US D841,790 S**  
**Fritz et al.** (45) **Date of Patent:** **\*\* Feb. 26, 2019**

(54) **HEATING DEVICE**

D714,259 S \* 9/2014 Galler ..... D14/221  
D745,128 S \* 12/2015 Farone ..... D23/355  
D766,409 S 9/2016 Buettner et al.

(71) Applicant: **Robert Bosch GmbH**, Stuttgart (DE)

(Continued)

(72) Inventors: **Udo Fritz**, Wernau (DE); **Christoph Albiez**, Esslingen (DE); **Ulrich Warth**, Stuttgart (DE)

*Primary Examiner* — T Chase Nelson

*Assistant Examiner* — Ania Aman

(73) Assignee: **Robert Bosch GmbH**, Stuttgart (DE)

(74) *Attorney, Agent, or Firm* — Maginot, Moore & Beck LLP

(\*\*) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **29/606,420**

The ornamental design for a heating device, as shown and described.

(22) Filed: **Jun. 5, 2017**

(30) **Foreign Application Priority Data**

**DESCRIPTION**

Dec. 6, 2016 (EM) ..... 003502350

(51) **LOC (11) Cl.** ..... **23-03**

(52) **U.S. Cl.**  
USPC ..... **D23/318**

(58) **Field of Classification Search**  
USPC ..... D23/314, 317, 318, 319, 320, 329, 332, D23/342

CPC . F24H 1/10; F24H 9/2028; F24H 9/02; F24H 9/128; F24H 9/2021; F24H 9/2007; F24H 9/0005; F24H 9/08; F24H 7/00; F24H 4/00; F24H 2/142

See application file for complete search history.

Cross reference is made to copending U.S. design patent application Ser. No. 29/606,416 entitled "Heating Device" by Fritz et al. filed on even date herewith; U.S. design patent application Ser. No. 29/606,417 entitled "Heating Device" by Fritz et al. filed on even date herewith; and U.S. design patent application Ser. No. 29/606,419 entitled "Heating Device" by Fritz et al. filed on even date herewith.

FIG. 1 is a perspective view of a heating device showing our new design;

FIG. 2 is a front elevational view of the heating device of FIG. 1;

FIG. 3 is a rear elevational view of the heating device of FIG. 1;

FIG. 4 is a left side elevational view of the heating device of FIG. 1;

FIG. 5 is a right side elevational view of the heating device of FIG. 1;

FIG. 6 is a top plan view of the heating device of FIG. 1; and,

FIG. 7 is a bottom plan view of the heating device of FIG. 1.


The broken lines shown in the drawings illustrate portions of the heating device that form no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

7,046,922 B1 \* 5/2006 Sturm ..... F24H 1/102  
392/465  
D616,536 S \* 5/2010 Lee ..... D23/318  
D621,490 S \* 8/2010 Schmidt ..... D23/319  
D628,979 S \* 12/2010 Yagi ..... D14/214  
D641,460 S \* 7/2011 Choi ..... D23/318  
8,297,525 B1 \* 10/2012 Bolivar ..... H05B 3/78  
236/20 R  
D687,134 S \* 7/2013 Lee ..... D23/320

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D768,831 S	10/2016	Buettner et al.	
D768,832 S	10/2016	Buettner et al.	
D769,425 S	10/2016	Buettner et al.	
D769,426 S	10/2016	Buettner et al.	
D769,427 S	10/2016	Buettner et al.	
D769,428 S	10/2016	Buettner et al.	
D769,429 S	10/2016	Buettner et al.	
D770,021 S	10/2016	Buettner et al.	
D770,604 S	11/2016	Buettner et al.	
D773,020 S	11/2016	Buettner et al.	
2012/0275775 A1*	11/2012	Iskrenovic .....	F24H 1/142 392/483
2014/0064716 A1*	3/2014	Cohen .....	F24H 9/2021 392/441
2015/0147054 A1*	5/2015	Green .....	F16K 49/002 392/449

\* cited by examiner





FIG. 1



FIG. 2



**FIG. 3**




FIG. 4






FIG. 5



**FIG. 6**





*FIG. 7*