



US00D841791S

(12) **United States Design Patent**
Fritz et al.

(10) **Patent No.:** **US D841,791 S**

(45) **Date of Patent:** **** Feb. 26, 2019**

- (54) **HEATING DEVICE**
- (71) Applicant: **Robert Bosch GmbH**, Stuttgart (DE)
- (72) Inventors: **Udo Fritz**, Wernau (DE); **Christoph Albiez**, Esslingen (DE); **Ulrich Warth**, Stuttgart (DE)
- (73) Assignee: **Robert Bosch GmbH**, Stuttgart (DE)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/649,247**
- (22) Filed: **May 29, 2018**

- D628,979 S * 12/2010 Yagi D14/214
- D641,460 S * 7/2011 Choi D23/318
- 8,418,832 B1 * 4/2013 Albertson H05B 6/108
198/370.09
- D714,259 S * 9/2014 Galler D14/221
- D731,633 S * 6/2015 Farone D23/364
- D732,005 S * 6/2015 Davies D14/215
- D745,128 S * 12/2015 Farone D23/355
- D766,409 S 9/2016 Buettner et al.
- D768,831 S 10/2016 Buettner et al.
- D768,832 S 10/2016 Buettner et al.
- D769,425 S 10/2016 Buettner et al.
- D769,426 S 10/2016 Buettner et al.

(Continued)

Primary Examiner — T Chase Nelson

Assistant Examiner — Ania Aman

(74) *Attorney, Agent, or Firm* — Maginot, Moore & Beck LLP

Related U.S. Application Data

- (62) Division of application No. 29/606,416, filed on Jun. 5, 2017.

Foreign Application Priority Data

Dec. 6, 2016 (EM) 003502350

- (51) **LOC (11) Cl.** **23-03**

- (52) **U.S. Cl.**
USPC **D23/318**

- (58) **Field of Classification Search**
USPC D23/314, 317, 318, 319, 320, 329, 332, D23/342
CPC . F24H 1/10; F24H 9/2028; F24H 9/02; F24H 9/128; F24H 9/2021; F24H 9/2007; F24H 9/0005; F24H 9/08; F24H 7/00; F24H 4/00; F24H 2/142
See application file for complete search history.

- (56) **References Cited**

U.S. PATENT DOCUMENTS

- D249,684 S * 9/1978 Rams D14/214
- D397,115 S * 8/1998 Gremchuck D14/214


- (57) **CLAIM**

The ornamental design for a heating device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a heating device showing our new design;
 FIG. 2 is a front elevational view of the heating device of FIG. 1;
 FIG. 3 is a rear elevational view of the heating device of FIG. 1;
 FIG. 4 is a left side elevational view of the heating device of FIG. 1;
 FIG. 5 is a right side elevational view of the heating device of FIG. 1;
 FIG. 6 is a top plan view of the heating device of FIG. 1; and,
 FIG. 7 is a bottom plan view of the heating device of FIG. 1.
 The broken lines shown in the drawings illustrate portions of the heating device that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D769,427 S	10/2016	Buettner et al.	
D769,428 S	10/2016	Buettner et al.	
D769,429 S	10/2016	Buettner et al.	
D770,021 S	10/2016	Buettner et al.	
D770,604 S	11/2016	Buettner et al.	
D773,020 S	11/2016	Buettner et al.	
2014/0064716 A1*	3/2014	Cohen	F24H 9/2021 392/441
2016/0060873 A1*	3/2016	Sugatani	E04D 13/178 29/401.1

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7