



US00D841801S

(12) **United States Design Patent** (10) **Patent No.:** **US D841,801 S**  
**Taylor** (45) **Date of Patent:** **\*\* Feb. 26, 2019**

(54) **MEDICAL APPARATUS FOR RETAINING AT LEAST ONE MEDICAL DEVICE ADJACENT A SUPPORTING SURFACE**

(71) Applicant: **Kevin D. Taylor**, Colorado Springs, CO (US)

(72) Inventor: **Kevin D. Taylor**, Colorado Springs, CO (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/549,691**

(22) Filed: **Dec. 28, 2015**

(51) **LOC (11) Cl.** ..... **24-02**

(52) **U.S. Cl.**  
USPC ..... **D24/128**

(58) **Field of Classification Search**  
USPC ..... D24/127-131, 112-114, 133, 186;  
606/181, 185; 604/264, 523-528, 272,  
604/187, 158, 164.01-164.11, 181, 184,  
604/227; 600/101, 139, 143;  
128/200.24, 207.14, 207.15  
CPC .. A61M 25/065; A61M 5/42; A61M 25/0612;  
A61M 25/00; A61M 39/00; A61M  
25/0043; A61M 27/00; A61M 25/0067;  
A61M 25/0097; A61F 2/958  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,702,612 A	11/1972	Schlesinger	
4,023,758 A	5/1977	Yuda	
D263,624 S	3/1982	Stenzler	
4,905,131 A	2/1990	Gary	
D341,080 S *	11/1993	Heinrich	D24/130
5,323,992 A	6/1994	Sifers et al.	
D353,671 S *	12/1994	Goldman	D24/130
D362,064 S *	9/1995	Smick	D24/130
D369,957 S	5/1996	Blanton	

5,533,696 A	7/1996	Laughlin et al.	
D404,815 S *	1/1999	Bierman	D24/128
D427,893 S	7/2000	Lappin et al.	
6,375,006 B1	4/2002	Samuels	
6,375,017 B1	4/2002	Schattner et al.	
D470,936 S *	2/2003	Bierman	D24/128
D481,122 S *	10/2003	Keifer	D24/110.4
6,850,687 B2	2/2005	Lavoie	
D503,231 S *	3/2005	Daugherty	D24/128
D542,907 S	5/2007	Isomura et al.	
7,229,051 B2 *	6/2007	Mailhot, Jr.	A61M 5/1418 211/70.6
D712,043 S *	8/2014	Sliger	D24/186
D732,663 S *	6/2015	Miner	D24/128
D752,762 S *	3/2016	Perryman	D24/186

(Continued)

**FOREIGN PATENT DOCUMENTS**

JP 09-239039 9/1997

*Primary Examiner* — David G Muller

(74) *Attorney, Agent, or Firm* — Aspire IP, LLC; Scott J. Hawranek


(57) **CLAIM**

We claim the ornamental design for a medical apparatus, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a medical apparatus, where the broken lines represent perforations in the material, in accordance with the present design; FIG. 2 is a bottom plan view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a rear elevation view thereof; FIG. 5 is a front elevation view thereof; FIG. 6 is a left side elevation view thereof; FIG. 7 is a right side elevation view thereof; and, FIG. 8 is a perspective view of the medical apparatus in a second configuration.

**1 Claim, 5 Drawing Sheets**




(56)

**References Cited**


U.S. PATENT DOCUMENTS

D761,957 S *	7/2016	Lee .....	D24/133
D775,328 S *	12/2016	Bureau .....	D24/128
9,746,052 B2	8/2017	Taylor	
2001/0019091 A1	9/2001	Nakanishi	
2003/0168868 A1	9/2003	Bierlin	
2017/0356524 A1	12/2017	Taylor	


\* cited by examiner




*FIG. 1*



*FIG. 2*



*FIG. 3*



*FIG. 4*




*FIG. 5*



*FIG. 6*



*FIG. 7*



*FIG. 8*