



US00D842090S

(12) **United States Design Patent**
Bayer et al.

(10) **Patent No.:** **US D842,090 S**
(45) **Date of Patent:** **** Mar. 5, 2019**

- (54) **RESEALABLE DIAMOND SHAPED PACKAGE**
- (71) Applicant: **Frito-Lay North America, Inc.**, Plano, TX (US)
- (72) Inventors: **Johannes Bayer**, Brooklyn, NY (US);
Martin E. Broen, New York, NY (US);
Todd Huthmaker, McKinney, TX (US)
- (73) Assignee: **Frito-Lay North America, Inc.**, Plano, TX (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/621,732**
- (22) Filed: **Oct. 11, 2017**
- (51) **LOC (11) Cl.** **09-03**
- (52) **U.S. Cl.**
USPC **D9/415**
- (58) **Field of Classification Search**
USPC D9/414, 415, 416, 418, 424, 432, 438,
D9/702, 705, 707, 709, 730, 732, 744,
D9/749, 759; 206/514, 775, 779
CPC . B65D 1/00; B65D 5/00; B65D 11/00; B65D
17/00; B65D 85/00; B65D 85/62; B65D
2571/00; B65D 2221/00
See application file for complete search history.

- D463,741 S * 10/2002 Green D9/415
- D464,566 S * 10/2002 Anchor D9/432
- D469,010 S * 1/2003 Valdez D9/415
- D469,348 S * 1/2003 Demus D9/415
- D480,964 S * 10/2003 Lee D9/415
- D525,864 S * 8/2006 Hiolin D9/415
- D562,127 S * 2/2008 Croft D9/415
- D611,805 S * 3/2010 Barniquel D9/415
- D618,539 S * 6/2010 Ruth D9/415
- D628,475 S * 12/2010 Snedden D9/426
- 8,066,125 B2 * 11/2011 Kang B65D 43/164
206/461
- 8,181,789 B1 * 5/2012 Casella A45C 11/182
206/39.7
- D682,085 S * 5/2013 Hannant D9/416
- D723,365 S * 3/2015 Mitchell D9/416
- D724,425 S * 3/2015 Atkinson D9/415
- D734,165 S * 7/2015 Kearns D9/707
- D752,452 S * 3/2016 Kearns D24/118
- D765,517 S * 9/2016 Rasgon D9/415
- D784,802 S * 4/2017 Cataudella D9/415

(Continued)

Primary Examiner — Wan Laymon
Assistant Examiner — Clint A Samuel
 (74) *Attorney, Agent, or Firm* — Colin P. Cahoon; James H. Ortega; Carstens & Cahoon, LLP

(57) **CLAIM**


The ornamental design for a resealable diamond shaped package, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a resealable diamond shaped package;
 FIG. 2 is a front elevation view of the package;
 FIG. 3 is rear elevation view of the package;
 FIG. 4 is a side elevation view of the package;
 FIG. 5 is an opposite side elevation view of the package;
 FIG. 6 is a top elevation view of the package; and,
 FIG. 7 is a bottom elevation view of the package.

1 Claim, 5 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
- D303,500 S * 9/1989 Colla D9/414
- D304,679 S * 11/1989 Corella D9/734
- D323,979 S * 2/1992 Forman D9/709
- D396,002 S * 7/1998 Bell D9/707
- D419,435 S * 1/2000 Bonfigli D9/707
- D438,461 S * 3/2001 Yamagishi D9/415
- D453,681 S * 2/2002 Kursner D9/432
- D463,274 S * 9/2002 Green D9/415



(56)

References Cited

U.S. PATENT DOCUMENTS

D785,449 S * 5/2017 Cataudella D9/415
D802,412 S * 11/2017 Cataudella D9/415
D805,890 S * 12/2017 Hong D9/415
2008/0050055 A1* 2/2008 Austreng B65D 33/1691
383/210
2011/0038569 A1* 2/2011 Huffer B65D 33/20
383/207
2011/0168731 A1* 7/2011 Hansen B65D 43/162
220/834
2016/0122109 A1* 5/2016 Clark B65D 75/5838
220/23.4
2018/0186537 A1* 7/2018 Konicke B65D 75/5838

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7