



US00D842223S

(12) **United States Design Patent** (10) **Patent No.:** **US D842,223 S**  
**Seguy et al.** (45) **Date of Patent:** **\*\* Mar. 5, 2019**

- (54) **MOTORCYCLE TIRE**
- (71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
- (72) Inventors: **Julien Michel Sylvain Seguy, Riom (FR); Armand Rene Gabriel Leconte, Bigonville (LU); Yann Armand Henri Lagarde, Montlucon (FR)**
- (73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/639,144**
- (22) Filed: **Mar. 5, 2018**
- (51) **LOC (11) Cl.** ..... **12-15**
- (52) **U.S. Cl.**  
USPC ..... **D12/535**
- (58) **Field of Classification Search**  
USPC ..... D12/533-567  
CPC ..... B60C 2200/00; B60C 2200/10  
See application file for complete search history.

- (56) **References Cited**
- U.S. PATENT DOCUMENTS
- |              |         |                 |         |
|--------------|---------|-----------------|---------|
| D288,424 S   | 2/1987  | Kamijyo .....   | D12/146 |
| D292,079 S   | 9/1987  | Ikeda .....     | D12/145 |
| D292,197 S   | 10/1987 | Funahara .....  | D12/146 |
| D294,924 S * | 3/1988  | Kobayashi ..... | D12/535 |
| D298,525 S * | 11/1988 | Suzuki .....    | D12/535 |
| D336,271 S   | 6/1993  | Suzuki .....    | D12/147 |
| D336,627 S   | 6/1993  | Hirose .....    | D12/147 |
| D337,291 S   | 7/1993  | Hirose .....    | D12/147 |
| D420,312 S * | 2/2000  | Hara .....      | D12/535 |
| D452,202 S * | 12/2001 | Toyozawa .....  | D12/535 |
| D464,608 S * | 10/2002 | Liu .....       | D12/535 |
| D490,358 S   | 5/2004  | Taniguchi ..... | D12/534 |

- |              |         |                      |         |
|--------------|---------|----------------------|---------|
| D490,770 S   | 6/2004  | Isaka .....          | D12/534 |
| D503,672 S   | 4/2005  | Cullinan et al. .... | D12/534 |
| D544,433 S   | 6/2007  | Itoi .....           | D12/534 |
| D554,043 S   | 10/2007 | Chapman et al. ....  | D12/534 |
| D562,758 S   | 2/2008  | Jackson et al. ....  | D12/556 |
| D564,441 S   | 3/2008  | Itoi .....           | D12/534 |
| D565,498 S   | 4/2008  | Whitney et al. ....  | D12/534 |
| D565,500 S * | 4/2008  | Whitney .....        | D12/535 |
| 544,433 C1   | 6/2009  | Itoi .....           | D12/534 |
| D595,217 S   | 6/2009  | Fournier et al. .... | D12/535 |
| D601,942 S   | 10/2009 | Bell et al. ....     | D12/535 |
| D639,723 S * | 6/2011  | Misani .....         | D12/535 |
| D696,623 S   | 12/2013 | Nakagawa .....       | D12/534 |
| D696,624 S   | 12/2013 | Nakagawa .....       | D12/534 |
| D717,234 S   | 11/2014 | Fontaine et al. .... | D12/535 |
| D717,235 S   | 11/2014 | Fontaine et al. .... | D12/535 |
| D717,724 S   | 11/2014 | Fontaine et al. .... | D12/535 |
| D718,702 S * | 12/2014 | Winkelman .....      | D12/535 |
| D719,082 S * | 12/2014 | Winkelman .....      | D12/535 |
| D750,111 S   | 2/2016  | Fontaine et al. .... | D12/535 |
| D750,549 S   | 3/2016  | Ueda .....           | D12/535 |
| D750,550 S   | 3/2016  | Ueda .....           | D12/535 |

(Continued)

*Primary Examiner* — George D. Kirschbaum  
*Assistant Examiner* — Joseph J Kukella  
 (74) *Attorney, Agent, or Firm* — Robert N. Lipsik

(57) **CLAIM**  
 The ornamental design for a motorcycle tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a motorcycle tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side elevational view thereof; the left side elevational view being a mirror image thereof; and, FIG. 4 is an enlarged fragmentary front elevational view thereof.

**1 Claim, 4 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D754,057 S	4/2016	Pisarzewicz et al. ....	D12/536
D754,585 S	4/2016	Otani et al. ....	D12/535
D754,586 S	4/2016	Otani et al. ....	D12/535

\* cited by examiner



FIG - 1




FIG - 2



FIG - 3




FIG - 4