



US00D842254S

(12) **United States Design Patent** (10) **Patent No.:** **US D842,254 S**
Marrapode et al. (45) **Date of Patent:** **** Mar. 5, 2019**

(54) **ILLUMINATED FIBER HOUSING ASSEMBLY**

(71) Applicant: **Molex, LLC**, Lisle, IL (US)

(72) Inventors: **Thomas R. Marrapode**, Chicago, IL (US); **Chris Scherer**, Dripping Springs, TX (US); **Jon K. Sholtis**, Buda, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/613,518**

(22) Filed: **Aug. 10, 2017**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/605,557, filed on May 26, 2017.

(51) **LOC (11) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/153**

(58) **Field of Classification Search**
USPC D13/101, 103, 110, 112, 117, 118, 120, D13/123, 129-133, 145-147, 149, 151, D13/153-155, 173, 178, 183, 199; D26/27, 37, 40-43
CPC F21L 4/00; F21L 4/02; G02B 6/38; G02B 27/20; G02B 6/36; G02B 6/44; H05B 37/00; H05B 37/02; H01R 9/00; H01R 9/05; H01R 9/24; H01R 13/00; H01R 13/44; H01R 13/62; H01R 33/00; H01H 9/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D220,063 S 3/1971 Haack
D233,908 S * 12/1974 Brindley D26/37
D403,453 S 12/1998 Shiau
6,070,987 A * 6/2000 Jarvik G02B 27/20
362/102

D429,830 S 8/2000 Ting
D432,500 S 10/2000 Nishio et al.
D436,924 S * 1/2001 Lee D13/147
D450,041 S 11/2001 Nakashima et al.
D456,010 S 4/2002 Goto
D457,669 S * 5/2002 Piepgras D26/37
D521,931 S * 5/2006 Tufano, Jr. D13/133
7,556,524 B2 7/2009 Kuo et al.
D597,947 S 8/2009 Ono

(Continued)

OTHER PUBLICATIONS

LED Safety Wand, dated Jul. 9, 2015, [online], [site visited Jun. 21, 2018]. Available from Internet, <URL: https://www.youtube.com/watch?v=Nkv-vArF58o> (Year: 2015) (Year: 2015).*

Primary Examiner — Angela J Lee

Assistant Examiner — Shawn T Gingrich

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**


The ornamental design for an illuminated fiber housing assembly, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an illuminated fiber housing assembly showing our new design; FIG. 2 is a left side view thereof; FIG. 3 is a right side view thereof; FIG. 4 is a top view thereof; FIG. 5 is a bottom view thereof; FIG. 6 is a front view thereof; and, FIG. 7 is a rear view thereof.

The radiating lines extending from the cylindrical shaped fiber element represent illumination of the fiber element. The broken lines depicting the remainder of the illuminated fiber housing assembly show features that form no part in the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D612,968	S *	3/2010	Ma	D26/49
D617,796	S	6/2010	Ando		
D622,438	S *	8/2010	Sasada	D26/113
D625,861	S *	10/2010	Bertken	F21L 4/02
					D10/114.9
D626,671	S *	11/2010	Bertken	D10/114.9
D712,836	S	9/2014	Lee et al.		
D721,039	S	1/2015	Hoshino et al.		
D728,482	S	5/2015	Cepress et al.		
D732,756	S *	6/2015	Roberson	D26/42
D740,149	S *	10/2015	Talamo	D10/114.9
D762,586	S	8/2016	Crockett et al.		
D769,194	S	10/2016	Greig et al.		
9,685,726	B2	6/2017	Ang et al.		
D795,256	S	8/2017	Jentz et al.		
D801,282	S	10/2017	Hsieh		
D808,233	S *	1/2018	Wangler	D7/683
D820,791	S	6/2018	Takeda		
2007/0121332	A1 *	5/2007	Liu	F21L 4/00
					362/459
2010/0157582	A1 *	6/2010	Bertken	F21L 4/00
					362/158
2013/0063077	A1 *	3/2013	Popper	H02J 7/0045
					320/107
2013/0250545	A1 *	9/2013	Dial	F21V 33/00
					362/84
2013/0264966	A1	10/2013	Hazawa		
2013/0266268	A1 *	10/2013	Li	G02B 6/3839
					385/81

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7