



US00D842267S

(12) **United States Design Patent**
Pedersen

(10) **Patent No.:** **US D842,267 S**

(45) **Date of Patent:** **** Mar. 5, 2019**

- (54) **HEADSET**
- (71) Applicant: **GN Audio A/S**, Ballerup (DK)
- (72) Inventor: **Rasmus Trudslev Pedersen**,
Copenhagen (DK)
- (73) Assignee: **GN Audio A/S** (DK)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/598,987**
- (22) Filed: **Mar. 30, 2017**
- (51) **LOC (11) Cl.** **14-01**
- (52) **U.S. Cl.**
USPC **D14/205**
- (58) **Field of Classification Search**
USPC D14/206, 205, 225, 226; 181/129, 130,
181/135; 379/430, 431; 381/380, 381,
381/374; 455/90.3, 575.1, 569.1;
D29/112; 2/209
CPC H04R 1/1066; H04R 1/1016; H04R 25/00;
H04R 5/033; H04R 5/0335; H04R 1/105
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,560,718 A * 11/1925 Nowosielski H04R 1/1066
381/377
- D246,242 S * 11/1977 Bellini D14/205
- D246,519 S 11/1977 Kato
- 4,538,034 A * 8/1985 French H04R 5/0335
2/209
- D291,198 S 8/1987 Bellini
- D318,053 S * 7/1991 Ludeke D14/205
- D328,074 S * 7/1992 Yamazaki D14/205
- D337,116 S 7/1993 Hattori
- D340,033 S * 10/1993 Okumura D14/192
- D345,163 S 3/1994 Yamatogi
- D346,802 S * 5/1994 Sacherman D14/206

- 5,369,857 A * 12/1994 Sacherman H04R 5/0335
29/594
 - 5,406,037 A 4/1995 Nageno
 - 5,640,458 A * 6/1997 Nishiguchi G11C 7/16
381/2
 - 5,708,725 A * 1/1998 Ito H04R 1/1041
381/370
 - 5,793,878 A * 8/1998 Chang H04R 5/0335
381/370
 - D410,466 S 6/1999 Mouri
 - D420,356 S 2/2000 Suzuki
 - D435,249 S 12/2000 Yasutomi
 - D453,015 S * 1/2002 Yuyama D14/192
 - D458,597 S * 6/2002 Davies D14/206
- (Continued)

Primary Examiner — Paula Allen Greene

(74) *Attorney, Agent, or Firm* — Altera Law Group, LLC


(57) **CLAIM**

The ornamental design for a headset, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an embodiment of a headset. FIG. 2 is another perspective view of FIG. 1 thereof. FIG. 3 is a front planar view of FIG. 1 thereof. FIG. 4 is a back planar view of FIG. 1 thereof. FIG. 5 is a left side planar view of FIG. 1 thereof. FIG. 6 is a right side planar view of FIG. 1 thereof. FIG. 7 is a bottom planar view of FIG. 1 thereof; and, FIG. 8 is a top planar view of FIG. 1 thereof. The features shown in broken lines depict environmental subject matter only and form no part of the claimed design. The dot dash dot lines along the top edges of the headband represent the bounds of the claimed design while the broken lines along the bottom edges of the headband are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D463,857 S *	10/2002	Dix	D24/106	D637,176 S *	5/2011	Brunner	D14/205
6,594,366 B1 *	7/2003	Adams	H04B 1/3805 381/74	D639,776 S *	6/2011	Arimoto	D14/205
D482,019 S	11/2003	Petersen		D641,003 S *	7/2011	Alden	D14/205
D484,485 S *	12/2003	Matsuoka	D14/205	D648,318 S *	11/2011	Huang	D14/206
6,695,477 B1 *	2/2004	Nishiguchi	G11C 7/16 381/370	D652,406 S *	1/2012	Lee	D14/205
D488,146 S	4/2004	Minto		D654,472 S	2/2012	Fischer	
D494,154 S	8/2004	Polito		D657,344 S *	4/2012	Brunner	D14/205
D504,414 S *	4/2005	Yoshida	D14/192	D673,520 S *	1/2013	Tan	D14/205
6,980,165 B2 *	12/2005	Yuasa	H01Q 1/273 343/718	D678,860 S *	3/2013	Hagelin	D14/205
D514,086 S	1/2006	Skulley		D692,410 S	10/2013	Brunner	
D530,702 S	10/2006	Pritchard		8,559,665 B2 *	10/2013	Schmidt	H04R 1/1066 381/370
D531,165 S	10/2006	Rath		D709,860 S	7/2014	Brunner et al.	
D540,303 S	4/2007	Rausch		D711,348 S *	8/2014	Yang	D14/205
D541,256 S	4/2007	Rausch		D716,258 S	10/2014	Awiszus	
D542,774 S *	5/2007	Rausch	D14/206	D716,259 S	10/2014	Awiszus	
D549,688 S	8/2007	Suzuki		D716,762 S	11/2014	Greve	
D563,382 S	3/2008	Wikel		8,908,899 B1 *	12/2014	Yang	H04R 1/1033 381/370
D567,215 S	4/2008	Lee		D725,074 S	3/2015	Boeckel	
7,356,362 B2	4/2008	Chang		D728,512 S	5/2015	Nakagawa	
7,388,960 B2	6/2008	Kuo		D732,503 S *	6/2015	Brunner	H04S 1/005 D14/205
D582,890 S *	12/2008	Koza	D14/205	D739,842 S *	9/2015	Birger	D14/205
D588,098 S *	3/2009	Kurihara	D14/205	D750,042 S *	2/2016	Poulsen	D14/206
D591,263 S *	4/2009	Shimizu	D14/205	D763,228 S *	8/2016	Carr	D14/206
D592,640 S *	5/2009	Tkachuk	D14/205	D763,820 S *	8/2016	Mchatet	D14/205
D593,995 S	6/2009	Shimizu		D764,437 S *	8/2016	Yang	D14/206
D602,001 S *	10/2009	Bentley	D14/206	D769,212 S	10/2016	Larsen et al.	
D603,370 S	11/2009	Suzuki		D769,221 S *	10/2016	Pedersen	D14/206
D603,371 S *	11/2009	Boateng	D14/205	D782,999 S *	4/2017	Spio	D14/206
D604,266 S	11/2009	Milde		D806,675 S *	1/2018	Fuglsang	D14/206
D617,769 S	6/2010	Birger		D806,676 S *	1/2018	Fuglsang	D14/206
D625,705 S *	10/2010	Ohori	D14/205	2011/0194721 A1 *	8/2011	Schmidt	H04R 1/1066 381/370
D632,668 S *	2/2011	Brunner	D14/205	2011/0206216 A1	8/2011	Brunner	
					2016/0277828 A1 *	9/2016	Oh	H04R 1/105
					2017/0019728 A1 *	1/2017	Cochran	H04R 1/1091

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8