



US00D842382S

(12) **United States Design Patent** (10) **Patent No.:** **US D842,382 S**
Loew (45) **Date of Patent:** **** *Mar. 5, 2019**

- (54) **ILLUMINATED SIGN**
- (71) Applicant: **Ring LLC**, Santa Monica, CA (US)
- (72) Inventor: **Christopher Loew**, Palo Alto, CA (US)
- (73) Assignee: **Amazon Technologies, Inc.**, Seattle, WA (US)
- (*) Notice: This patent is subject to a terminal disclaimer.
- (**) Term: **15 Years**
- (21) Appl. No.: **29/624,011**
- (22) Filed: **Oct. 29, 2017**

- D263,972 S * 4/1982 Pasker D20/10
- D354,084 S * 1/1995 Leighton D20/17
- D360,846 S * 8/1995 Kallionpaa D10/109.1
- D382,218 S * 8/1997 Hall D10/114.9
- D394,409 S * 5/1998 Ferguson D10/109.1
- D404,334 S * 1/1999 Welsh D11/26
- D406,396 S * 3/1999 Granwehr D28/76
- D433,071 S * 10/2000 Barrett D20/40
- D436,135 S * 1/2001 Emert D20/10
- D440,153 S * 4/2001 Lin D9/746
- D440,512 S * 4/2001 Mogleston D10/109.1
- D447,332 S * 9/2001 Pisarevsky D3/207
- D459,265 S * 6/2002 Taylor D10/114.9
- D463,104 S * 9/2002 Ames D3/207

(Continued)

Primary Examiner — Mary Ann Calabrese
Assistant Examiner — Sloan Rozin
 (74) *Attorney, Agent, or Firm* — Chong IP Law, LLP

Related U.S. Application Data

- (63) Continuation of application No. 29/571,283, filed on Jul. 15, 2016, now Pat. No. Des. 803,943.
- (51) **LOC (11) Cl.** **20-02**
- (52) **U.S. Cl.**
USPC **D20/41**
- (58) **Field of Classification Search**
USPC D20/10, 11, 22–28, 37, 39–42, 99;
D10/54, 109, 109.1, 111, 113.4, 114,
D10/114.1, 121
CPC G09F 1/00; G09F 1/02; G09F 2003/023;
G09F 2003/0261; G09F 2003/0264; G09F
7/00; G09F 3/206; G09F 13/00; G09F
2007/1807; G09F 13/04; G09F
2013/0427; G09F 2013/0495; G09F 7/04;
G09D 3/00
See application file for complete search history.

(57) **CLAIM**

The ornamental design for an illuminated sign, as shown and described.

DESCRIPTION


FIG. 1 is a front perspective view of the illuminated sign according to the present design;
 FIG. 2 is a front elevational view of the illuminated sign of FIG. 1;
 FIG. 3 is a rear elevational view of the illuminated sign of FIG. 1;
 FIG. 4 is a right-side elevational view of the illuminated sign of FIG. 1, the left-side elevational view being a mirror image thereof;
 FIG. 5 is a top plan view of the illuminated sign of FIG. 1;
 FIG. 6 is a bottom plan view of the illuminated sign of FIG. 1; and,
 FIG. 7 is a front perspective view of the illuminated sign of FIG. 1, showing the illuminated sign in a manner of use.
 In the drawings, the broken lines depict portions of the illuminated sign that form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D60,887 S * 4/1922 Tuttle D10/109.1
- D233,159 S * 10/1974 White D20/41

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D476,038	S	*	6/2003	Geyer	D20/10
D476,691	S	*	7/2003	Geyer	D20/10
D526,362	S	*	8/2006	Priegel	D20/41
D574,989	S	*	8/2008	Rodzwil	D26/63
D578,431	S	*	10/2008	Weyer	D11/221
D602,092	S	*	10/2009	Tonnessen	D20/42
D609,752	S	*	2/2010	Miller	D20/41
D616,198	S	*	5/2010	Liu	D3/263
D621,399	S	*	8/2010	Ahlstrom	D14/344
7,814,692	B2	*	10/2010	Wiltfang	G09F 7/18 40/606.18
D660,370	S	*	5/2012	Podd	D20/42
D693,269	S	*	11/2013	Bertken	D11/221
D713,404	S	*	9/2014	Green	D14/344
D791,242	S	*	7/2017	Lemberger	D20/41
D791,878	S	*	7/2017	Loew	D20/41
D803,943	S	*	11/2017	Loew	D20/41

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7