



US00D842500S

(12) **United States Design Patent**  
**Darrow et al.**

(10) **Patent No.: US D842,500 S**  
(45) **Date of Patent: \*\* Mar. 5, 2019**

(54) **ARCHITECTURAL PANEL WITH STRIATED SURFACE TEXTURE**

FOREIGN PATENT DOCUMENTS

(71) Applicants: **Todd Darrow**, Edmonds, WA (US);  
**Janell Dastrup**, Bellevue, WA (US);  
**Ryan Savage**, Seattle, WA (US)

CN 301642528 \* 8/2011

(72) Inventors: **Todd Darrow**, Edmonds, WA (US);  
**Janell Dastrup**, Bellevue, WA (US);  
**Ryan Savage**, Seattle, WA (US)

OTHER PUBLICATIONS

Groove—Lumicor (on-line), dated Nov. 7, 2016. Retrieved from Internet Dec. 19, 2017, URL: <https://web.archive.org/web/20161107132352/http://www.lumicor.com/products/collections/impressions/19001> (2 pages).\*

(Continued)

(73) Assignee: **Lumicor Inc**, Renton, WA (US)

*Primary Examiner* — Vy N Koenig  
*Assistant Examiner* — Kimberly Barnes

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/595,976**

(57) **CLAIM**

We claim the ornamental design for an architectural panel with a striated surface texture, as shown and described.

(22) Filed: **Mar. 3, 2017**

**DESCRIPTION**

(51) **LOC (11) Cl.** ..... **25-01**

(52) **U.S. Cl.**

USPC ..... **D25/159**; D25/138

(58) **Field of Classification Search**

USPC ..... D25/138, 139, 140, 143, 144, 145, 147,  
D25/148, 149, 153, 154, 156, 157, 158,  
D25/159, 160, 161, 162, 163, 104, 113,  
D25/103, 105, 106, 48.3, 48.7, 48.8, 109;  
D5/53, 58, 60; 52/306, 307, 316, 389,  
52/746.12; 428/38, 49

CPC ... E04C 2/30; E04C 2/54; E04C 2/543; E04C  
2/365; E04C 2/20; B44F 1/066; B44F  
11/04; E04B 9/32; B32B 27/08; B32B  
27/36; B32B 27/322; H02S 20/26

See application file for complete search history.

FIG. 1 is a perspective view of an architectural panel with a striated surface texture, showing our new design.

FIG. 2 is a front view of the architectural panel with a striated surface texture.

FIG. 3 is a back view of the architectural panel with a striated surface texture.

FIG. 4 is a left side view of the architectural panel with a striated surface texture.

FIG. 5 is a right side view of the architectural panel with a striated surface texture.

FIG. 6 is a top view of the architectural panel with a striated surface texture; and,

FIG. 7 is a bottom view of the architectural panel with a striated surface texture.

The extended outer perimeter shown in broken lines in FIG. 1 depicts environmental subject matter and forms no part of the claimed design. The remaining broken lines in the drawings along the edges of the panel itself represent portions of the architectural panel with a striated surface texture that form no part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D186,300 S \* 10/1959 Edesess ..... D5/60  
D207,487 S \* 4/1967 Briggs ..... D23/209  
D359,364 S \* 6/1995 Overmyer ..... D25/103  
D402,047 S \* 12/1998 Sadovenko ..... D25/103

(Continued)

**1 Claim, 4 Drawing Sheets**



(56)

**References Cited**


U.S. PATENT DOCUMENTS

D616,569	S *	5/2010	Bresciani .....	D25/109
D631,985	S *	2/2011	Waters .....	D25/138
D699,863	S *	2/2014	Schober .....	D25/105
D705,948	S *	5/2014	Schober .....	D25/105
D714,465	S *	9/2014	Narbonne .....	D25/113
8,869,480	B2 *	10/2014	Klem, Jr. ....	A01M 29/06 52/307
9,091,081	B2 *	7/2015	Yuzuriha .....	E04F 13/0871
2010/0021718	A1 *	1/2010	Vos .....	B32B 5/26 428/315.9

OTHER PUBLICATIONS


Linee—Lumicor (on-line), dated Jun. 4, 2016. Retrieved from Internet Jan. 2, 2018, URL: <https://web.archive.org/web/20160604234623/http://www.lumicor.com/products/collections/impressions/18852> (2 pages).\*

\* cited by examiner




*Fig. 1*







*Fig. 2*




*Fig. 3*




*Fig. 4*



*Fig. 5*



*Fig. 6*



*Fig. 7*