

US00D842516S

(12) **United States Design Patent** (10) **Patent No.:** **US D842,516 S**  
**Qiu** (45) **Date of Patent:** **\*\* Mar. 5, 2019**

- (54) **FLASHLIGHT**
- (71) Applicant: **Ningbo Futai Electric Limited,**  
Ningbo, Zhejiang (CN)
- (72) Inventor: **Fujun Qiu,** Ningbo (CN)
- (73) Assignee: **Ningbo Futai Electric Limited,**  
Ningbo, Zhejiang (CN)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/591,606**
- (22) Filed: **Jan. 21, 2017**
- (51) **LOC (11) Cl.** ..... **26-02**
- (52) **U.S. Cl.**  
USPC ..... **D26/49**
- (58) **Field of Classification Search**  
USPC ..... D26/37-51  
CPC ..... F21L 2003/00; F21L 4/00; F21L 4/005;  
F21L 4/02; F21L 4/025; F21L 4/027;  
F21L 4/04; F21L 4/08; F21L 2005/00;  
F21L 7/00; F21L 11/00; F21L 13/00;  
F21L 13/04; F21L 13/08; F21L 14/02;  
F21L 17/00; F21L 19/00; F21L 25/00  
See application file for complete search history.

D646,443 S *	10/2011	Cook	.....	D26/37
D653,371 S *	1/2012	Compton	.....	D26/68
D656,648 S *	3/2012	Tompkin	.....	D26/46
D670,015 S *	10/2012	Wu	.....	D26/49
D673,317 S *	12/2012	Yang	.....	D26/68
D674,126 S *	1/2013	Mase	.....	D26/49
D675,357 S *	1/2013	Shi	.....	D26/49
D687,583 S *	8/2013	von Waldthausen	.....	D26/46
D698,953 S *	2/2014	Hinzmann	.....	D26/37
D743,601 S *	11/2015	Maglica	.....	D26/49
D746,498 S *	12/2015	Zhou	.....	D26/37
D775,752 S *	1/2017	Nook	.....	D26/38
D802,813 S *	11/2017	Li	.....	D26/51
D808,556 S *	1/2018	Patel	.....	D26/46
D826,440 S *	8/2018	Maglica	.....	D26/49
2009/0237921 A1 *	9/2009	Lee	.....	F21S 6/002 362/190

\* cited by examiner

*Primary Examiner* — Lakiya G Rogers  
*Assistant Examiner* — Carissa C Fitts  
(74) *Attorney, Agent, or Firm* — Raymond Y. Chan;  
David and Raymond Patent Firm

(57) **CLAIM**


The ornamental design for a flashlight, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of the flashlight showing my new design;  
FIG. 2 is a rear view of the flashlight;  
FIG. 3 is a top view of the flashlight;  
FIG. 4 is a bottom view of the flashlight;  
FIG. 5 is a perspective view of the flashlight; and,  
FIG. 6 is a perspective view of the flashlight, illustrating the flashlight in an upside-down status.

**1 Claim, 6 Drawing Sheets**

- (56) **References Cited**  
U.S. PATENT DOCUMENTS
- D494,298 S \* 8/2004 Brent ..... D26/49
- D496,481 S \* 9/2004 Wiesmeth ..... D26/49
- D513,810 S \* 1/2006 Ho ..... D26/37
- D519,658 S \* 4/2006 Izardel ..... D10/111
- D535,770 S \* 1/2007 Yuen ..... D26/38
- D614,333 S \* 4/2010 Schnitzer ..... D26/37
- D626,671 S \* 11/2010 Bertken ..... D10/114.9
- D626,672 S \* 11/2010 De Rubertis ..... D26/38






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6