



US00D842576S

(12) **United States Design Patent** (10) **Patent No.:** **US D842,576 S**  
**Fritz** (45) **Date of Patent:** **\*\* Mar. 5, 2019**

- (54) **ELASTIC BREAK BRAKE**
- (71) Applicant: **Curt G. Joa, Inc.**, Sheboygan Falls, WI (US)
- (72) Inventor: **Jeffrey W. Fritz**, Plymouth, WI (US)
- (73) Assignee: **Curt G. Joa, Inc.**, Sheboygan Falls, WI (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/603,632**
- (22) Filed: **May 11, 2017**
- (51) **LOC (11) Cl.** ..... **12-05**
- (52) **U.S. Cl.**  
USPC ..... **D34/29**
- (58) **Field of Classification Search**  
USPC ..... D34/28, 29; 156/178, 161, 436, 265, 156/250, 252, 256, 259, 263, 264; 53/462; 264/284; 29/40  
CPC ..... B65H 57/14; B65H 63/024  
See application file for complete search history.

- 9,944,487 B2 \* 4/2018 McCabe ..... A61F 13/15723
- 9,950,439 B2 \* 4/2018 McCabe ..... A61F 13/15723
- 10,138,082 B2 \* 11/2018 Ingole ..... A61F 13/15764
- 2004/0073187 A1 4/2004 Karami
- (Continued)

**FOREIGN PATENT DOCUMENTS**

- DE 102007063209 A1 6/2009
- WO WO2001072237 10/2001

**OTHER PUBLICATIONS**

International Search Report dated Jun. 19, 2013 regarding EP Application No. 13165203.4, 5 pages.  
(Continued)

*Primary Examiner* — Cynthia Ramirez  
*Assistant Examiner* — Gino Colan  
(74) *Attorney, Agent, or Firm* — Ryan Kromholz & Manion, S.C.

(57) **CLAIM**

The ornamental design for an elastic break brake, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of an elastic break brake showing our new design;  
FIG. 2 is a front elevation view thereof;  
FIG. 3 is a back elevation thereof;  
FIG. 4 is left side elevation view thereof;  
FIG. 5 is a right side elevation view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom plan view thereof.  
The broken lines shown in the figures are for the purpose of illustrating portions of the elastic break brake and form no part of the claimed design. The broken lines showing a portion of a thread are for the purpose of illustrating environment and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 3,929,297 A 12/1975 Zumfeld
- 5,914,084 A \* 6/1999 Benson ..... B29C 55/14 264/284
- 6,076,442 A \* 6/2000 Arterburn ..... C03B 37/16 29/40
- 6,482,278 B1 \* 11/2002 McCabe ..... A61F 13/15609 156/200
- 6,648,122 B1 \* 11/2003 Hirsch ..... B65G 47/848 156/552
- 7,975,584 B2 \* 7/2011 McCabe ..... A61F 13/15723 53/462
- 8,961,720 B2 \* 2/2015 Harris ..... A61F 13/15593 156/161
- 9,550,306 B2 \* 1/2017 McCabe ..... A61F 13/15723
- D785,272 S \* 4/2017 Merino Casajuana ..... D34/29
- 9,809,414 B2 \* 11/2017 Fritz ..... B65H 57/14



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2008/0287898 A1 11/2008 Guzman Reyes et al.  
2011/0144611 A1 6/2011 Saito

OTHER PUBLICATIONS

International Search Report dated Jun. 19, 2013 regarding EP  
Application No. 13165195.2, 4 pages.

\* cited by examiner







Fig. 2




Fig. 3




*Fig. 4*



*Fig. 5*



*Fig. 6*



*Fig. 7*