



US00D842755S

(12) **United States Design Patent**
Torrez

(10) **Patent No.:** **US D842,755 S**
(45) **Date of Patent:** **** Mar. 12, 2019**

(54) **ELECTRICALLY CONNECTIVE BRACELET CLASP**

(71) Applicant: **TORRO, LLC**, San Diego, CA (US)

(72) Inventor: **William Jasonn Torrez**, San Diego, CA (US)

(73) Assignee: **TORRO, LLC**, San Diego, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/636,721**

(22) Filed: **Feb. 9, 2018**

(51) **LOC (11) Cl.** **11-01**

(52) **U.S. Cl.**
USPC **D11/87**

(58) **Field of Classification Search**
USPC D11/1-2, 7, 40-44, 46-49, 53, 56, 57,
D11/59-61, 63, 65, 79-83, 86-87, 89-90,
D11/91-92, 99, 101, 106, 114-116,
D11/200-201; D8/382
CPC A44C 5/00; A44C 11/02; H01R 13/627;
H01R 13/6278
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,598,271 B2 *	7/2003	Nire	A41F 1/002 24/265 WS
8,459,825 B2 *	6/2013	Trzemieski	H01M 2/1022 362/103
8,482,909 B2 *	7/2013	Douglas	A44C 5/0015 361/679.03
8,624,554 B2	1/2014	Ajagbe		

(Continued)

Primary Examiner — Zenia I Bennett

(74) *Attorney, Agent, or Firm* — Stetina Brunda Garred and Brucker


(57) **CLAIM**

The ornamental design for an electrically connective bracelet clasp, as shown and described.

DESCRIPTION

FIG. 1 is an upper perspective view of the electrically connective bracelet clasp of the present invention showing my new design, the clasp being in a connected configuration; FIG. 2 is a top view of the electrically connective bracelet clasp in the connected configuration; FIG. 3 is a front elevational view of the electrically connective bracelet clasp in the connected configuration; FIG. 4 is a rear elevational view of the electrically connective bracelet clasp in the connected configuration; FIG. 5 is a first end view of the electrically connective bracelet clasp; FIG. 6 is a second end view of the electrically connective bracelet clasp, the second end view being opposite the first end view; FIG. 7 is a bottom view of the electrically connective bracelet clasp in the connected configuration; FIG. 8 is an upper perspective view of the electrically connective bracelet clasp in a disconnected configuration; FIG. 9 is a lower perspective view of the electrically connective bracelet clasp in the disconnected configuration; FIG. 10 is a top view of the electrically connective bracelet clasp in the disconnected configuration; FIG. 11 is a front elevational view of the electrically connective bracelet clasp in the disconnected configuration; FIG. 12 is a bottom view of the electrically connective bracelet clasp in the disconnected configuration; and, FIG. 13 is a rear elevational view of the electrically connective bracelet clasp in the disconnected configuration. The broken lines in the drawings illustrate portions of the electrically connective bracelet clasp and a corresponding bracelet band that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,844,100 B2 * 9/2014 Humphries A44C 5/2085
24/303
9,265,310 B2 2/2016 Lam
9,392,851 B2 7/2016 Lam
9,466,996 B2 10/2016 Miller et al.
9,523,965 B2 * 12/2016 Liao G04G 17/06
D805,418 S * 12/2017 Lowe D11/3
10,031,483 B2 * 7/2018 Seo G04G 19/10
2014/0091766 A1 4/2014 Ajagbe
2014/0116085 A1 5/2014 Lam
2016/0056650 A1 2/2016 Hall
2016/0087470 A1 3/2016 Lizama
2016/0285293 A1 9/2016 Miller et al.
2016/0322745 A1 * 11/2016 Shedletsky G06F 1/163

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13