



US00D842870S

(12) **United States Design Patent**
Barrett et al.

(10) **Patent No.:** **US D842,870 S**

(45) **Date of Patent:** **** Mar. 12, 2019**

(54) **DISPLAY SCREEN OR PORTION THEREOF WITH A GRAPHICAL USER INTERFACE**

(71) Applicant: **Insight Services, Inc.**, Strongsville, OH (US)

(72) Inventors: **Mike Barrett**, Bay Village, OH (US);
Alan Brunet, Atlanta, GA (US)

(73) Assignee: **INSIGHT SERVICES, INC.**, Strongsville, OH (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/611,802**

(22) Filed: **Jul. 25, 2017**

(51) **LOC (11) Cl.** **14-04**

(52) **U.S. Cl.**
USPC **D14/485**

(58) **Field of Classification Search**
USPC D14/485-495; D20/11; D21/324, 325
CPC G06F 3/048; G06F 3/0481; G06F 3/04817;
G06F 3/0482; G06F 3/0483; G06F 3/04842;
G06F 3/0485; G06F 3/04855; G06F 3/0486;
G06F 3/0488; G06F 3/04886; G06F 9/4443; G06F 17/211;
G06F 17/212; G06F 19/3456; G06Q 10/06; G06Q 40/04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|------|---------|-------------|-------|--------------|
| 8,799,030 | B1 * | 8/2014 | Chen | | G06F 19/3456 |
| | | | | | 705/4 |
| D727,342 | S * | 4/2015 | Omiya | | D14/486 |
| D747,410 | S | 1/2016 | Hart | | |
| D757,075 | S * | 5/2016 | Blank | | D14/486 |
| D760,756 | S * | 7/2016 | Koeten | | D14/486 |
| D770,498 | S * | 11/2016 | Walia | | D14/486 |
| D772,915 | S * | 11/2016 | Evnin | | D14/486 |
| D773,506 | S * | 12/2016 | Leabman | | D14/486 |
| D776,136 | S | 1/2017 | Chen et al. | | |

(Continued)

OTHER PUBLICATIONS

“DataSight™ Online Program Management Tool” Apr. 27, 2016, posted at testoil.com, [site visited Jul. 20, 2018]. https://web.archive.org/web/20160427013230/http://testoil.com/datasight/online-program-management.*

(Continued)

Primary Examiner — Jack Reickel

Assistant Examiner — John M Otte

(74) *Attorney, Agent, or Firm* — Katterle Nupp LLC; Robert Nupp; Paul Katterle

(57) **CLAIM**

The ornamental design for a display screen or portion thereof with a graphical user interface, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a first embodiment of a display screen or portion thereof with a graphical user interface showing our new design; FIG. 2 is a front view of a second embodiment of a display screen or portion thereof with a graphical user interface showing our new design; and, FIG. 3 is a front view of a third embodiment of a display screen or portion thereof with a graphical user interface showing our new design.

The peripheral evenly-spaced broken lines surrounding each graphical user interface represent an unclaimed boundary of a display screen or portion thereof and form no part of the claimed design. Within the peripheral broken lines, the evenly-spaced and unevenly-spaced broken line showing of text and other features of the graphical user interface is for environmental purposes only and forms no part of the claimed design. The difference in shading indicates a contrast of appearance and does not depict any particular color, texture, or material.

1 Claim, 3 Drawing Sheets

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|--------------|------------------------------------|-------|---|----------------|---|-----------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-----------|-----------|------------|
| | | | | | | | | | | | | Sample Status | | Review Us | | What's New | | Support | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Home Reports Dart Program Management Downloads Technical Library | | | | | | | | | | | | Schedule Compliance Report | | | | | | | | | | | |
| Plant Name: <input type="text"/> | | Machine Name: <input type="text"/> | | Search <input type="button" value="Clear"/> | | Open Report Viewer <input type="button" value="Export Grid"/> | | | | | | | | | | | | | | | | | |
| Route Name: <input type="text"/> | | Machine ID: <input type="text"/> | | Test Package: <input type="text"/> | | | | | | | | | | | | | | | | | | | |
| Division | Customer | Plant | Route | Machine No | Machine Name | Machine ID | Test Pkg | Tests | Jan 17 | Feb 17 | Mar 17 | Apr 17 | May 17 | Jun 17 | Jul 17 | Aug 17 | Sep 17 | Oct 17 | Nov 17 | Dec 17 | Scheduled | Completed | Compliance |
| ACME | ACID Organic | 4-Monthly | 1 | 555-1-575538 | 12A FEED PUMP | ACMEPO | Y40. IR. AB | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | 12 | 9 | 75% |
| ACME | ACID Organic | 4-Monthly | 2 | 555-1-575739 | 12B FEED PUMP | ACMEPO | Y40. IR. AB | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | 12 | 9 | 75% |
| ACME | ACID Organic | 4-Monthly | 19 | 555-1-575987 | E6 COMPRESSOR | ACMEPO | Y40. IR. AB | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | 12 | 12 | 100% |
| ACME | ACID Organic | 4-Monthly | 46 | 555-1-575988 | 102 NORTH PUMP | ACMDR | Y40. IR. AB. XY | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | 4 | 12 | 100% |

(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | |
|-------------------|--------|--------------------|-------------|
| D791,796 S * | 7/2017 | Baudisch | D14/486 |
| D791,797 S | 7/2017 | Samarin et al. | |
| D807,385 S * | 1/2018 | Olsen | D14/486 |
| 2010/0017740 A1 * | 1/2010 | Gonzalez Veron ... | G06F 3/0481 |
| | | | 715/777 |
| 2010/0057512 A1 * | 3/2010 | Tays | G06Q 10/06 |
| | | | 705/7.15 |
| 2015/0154701 A1 * | 6/2015 | Jaberg | G06Q 40/04 |
| | | | 705/37 |
| 2015/0178835 A1 * | 6/2015 | Quillian | G06Q 40/04 |
| | | | 705/37 |

OTHER PUBLICATIONS

“Ganttproject—Resources” Feb. 14, 2010, posted at victorpillac.com, [site visited Jul. 20, 2018]. <https://victorpillac.com/2010/02/14/three-usefull-project-planning-tools/ganttproject-resources>.*

Dvorak, Paul, “Totaro & Associates launches market intelligence & program management software” Mar. 18, 2015, posted at windpowerengineering.com, [site visited Jul. 20, 2018]. <https://www.windpowerengineering.com/projects/policy/totaro-associates-launches-market-intelligence-program-management-software>.*

“Project Management Scheduling Template” Sep. 3, 2015, posted at myexceltemplates.com, [site visited Jul. 20, 2018]. <http://myexceltemplates.com/project-management-scheduling-template>.*

* cited by examiner





FIG.1

Home Reports Dart Program Management Downloads Technical Library

Schedule Compliance Report

Sample Status Review Us What's New Support



Plant Name: Machine Name:

Route Name: Machine ID:

Test Package:

= Tested, not scheduled
 = Scheduled, not tested
 = Scheduled and tested


| Division | Customer | Plant | Route | Machine No | Machine Name | Machine ID | Test Pkg | Tests | Jan 17 | Feb 17 | Mar 17 | Apr 17 | May 17 | Jun 17 | Jul 17 | Aug 17 | Sep 17 | Oct 17 | Nov 17 | Dec 17 | Scheduled | Completed | Compliance |
|----------|--------------|------------|-------|--------------|----------------|------------|---------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-----------|-----------|------------|
| ACME | ACID Organic | 4--Monthly | 1 | 555-1-575938 | 12A FEED PUMP | ACMEP0 | V40. IR AB | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | 12 | 8 | 75% |
| ACME | ACID Organic | 4--Monthly | 2 | 555-1-575739 | 12B FEED PUMP | ACMEP0 | V40. IR AB | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | 12 | 10 | 75% |
| ACME | ACID Organic | 4--Monthly | 19 | 555-1-575987 | E6 COMPRESSOR | ACMEP0 | V40. IR AB | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | 12 | 12 | 100% |
| ACME | ACID Organic | 4--Monthly | 46 | 555-1-575988 | 102 NORTH PUMP | ACMDR | V40. IR AB XY | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | 4 | 10 | 100% |

FIG.2

Home Reports Data Program Management Downloads Technical Library

Schedule Compliance Report

Sample Status Review Us What's New Support



Plant Name: Machine Name:

Route Name: Machine ID:

Test Packages:

Search

Clear

Open Report Viewer

Export Grid

= Tested, not scheduled

= Scheduled, not tested

= Scheduled and tested

| Division | Customer | Plant | Route | Machine No | Machine Name | Machine ID | Test Pkg | Tests | Jan 17 | Feb 17 | Mar 17 | Apr 17 | May 17 | Jun 17 | Jul 17 | Aug 17 | Sep 17 | Oct 17 | Nov 17 | Dec 17 | Scheduled | Completed | Compliance |
|----------|--------------|------------|-------|------------------|----------------|------------|-----------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-----------|-----------|------------|
| ACME | ACID Organic | 4--Monthly | 1 | 555-17 575535 | 12A FEED PUMP | ACMEPO | V40, IR, AB | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | 12 | 9 | 75% |
| ACME | ACID Organic | 4--Monthly | 2 | 555-17 575729 | 12B FEED PUMP | ACMEPO | V40, IR, AB | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | 12 | 9 | 75% |
| ACME | ACID Organic | 4--Monthly | 19 | 555-17 575987 | E6 COMPRESSOR | ACMEPO | V40, IR, AB | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | 12 | 12 | 100% |
| ACME | ACID Organic | 4--Monthly | 46 | 555-17 575988 | 102 NORTH PUMP | ACMOR | V40, IR, AB, AT | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | 4 | 12 | 100% |

FIG. 3