



US00D842942S

(12) **United States Design Patent**  
**Phillips et al.**

(10) **Patent No.:** **US D842,942 S**  
(45) **Date of Patent:** **\*\* Mar. 12, 2019**

(54) **RESISTANCE GRIP STRENGTHENING GLOVE**

(71) Applicants: **Tea Phillips**, Shelbyville, TN (US);  
**Ashley Wheeler**, Smyrna, TN (US);  
**Sergio Ramirez**, Gallatin, TN (US)

(72) Inventors: **Tea Phillips**, Shelbyville, TN (US);  
**Ashley Wheeler**, Smyrna, TN (US);  
**Sergio Ramirez**, Gallatin, TN (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/669,339**

(22) Filed: **Nov. 7, 2018**

(51) **LOC (11) Cl.** ..... **21-02**

(52) **U.S. Cl.**  
USPC ..... **D21/684**

(58) **Field of Classification Search**  
USPC ..... D29/117.1; D2/619, 614; D14/388;  
602/5; 482/8, 47, 44, 124, 74, 45, 148,  
482/48; 473/450; 2/163, 161.2, 160,  
2/159, 162, 917; D21/684  
CPC ... A63B 23/16; A63B 71/146; A63B 2209/10;  
A63B 23/14; A63B 71/141; A63B  
21/4019; A41D 19/01582  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D195,189 S *	5/1963	Schulte .....	340/321
3,347,547 A	10/1967	Hynes	
3,944,220 A	3/1976	Fasano	
5,453,064 A	9/1995	Williams, Jr.	
5,697,103 A	12/1997	Wiggins	
6,059,694 A *	5/2000	Villepigue .....	A63B 21/0004 294/25
7,415,735 B2	8/2008	Erickson	
7,731,633 B1	6/2010	Williams	
7,740,561 B2	6/2010	Kupferman	
8,348,810 B2	1/2013	Land	
8,601,614 B2	12/2013	Scaff	

D742,600 S	11/2015	Matthews	
9,380,820 B1	7/2016	Griego	
9,387,110 B2 *	7/2016	Kelly .....	A61F 5/0118
9,463,355 B2	10/2016	Davis	
D787,515 S *	5/2017	Friedman .....	D14/388
D787,779 S	5/2017	Williams et al.	
10,022,585 B2	7/2018	Abdourazak	

(Continued)

**OTHER PUBLICATIONS**

Meta Flex by Meta Flex Therapy Glove dated Jun. 14, 2018. found online [Dec. 3, 2018] <https://www.instagram.com/metaflextherapyglove/>.  
\*

*Primary Examiner* — Ryan Harvey

(74) *Attorney, Agent, or Firm* — Ridgeline Venture Law;  
Kevin Christopher


(57) **CLAIM**

The ornamental design for a resistance grip strengthening glove, as shown and described.

**DESCRIPTION**

FIG. 1 is an exterior, perspective view of our new design for a resistance grip strengthening glove;  
FIG. 2 is a front elevational view thereof with the wearer's palm faced forward;  
FIG. 3 is a rear elevational view thereof with the backside of the wearer's gloved hand depicted;  
FIG. 4 is a right-side elevational view thereof;  
FIG. 5 is a left-side elevational view thereof with the wearer's thumb proximate;  
FIG. 6 is an overhead view thereof with the wearer's fingertips proximate; and,  
FIG. 7 is an underside view thereof.  
In the drawings, the evenly-spaced broken lines depict stitching and do form part of the claim; the dash-dot-dash lines in FIG. 7, represent boundaries of the claimed design and form no part thereof.

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2003/0162634 A1\* 8/2003 Farrell ..... A63B 23/16  
482/47  
2003/0195093 A1\* 10/2003 White ..... A63B 21/0552  
482/124  
2006/0211964 A1\* 9/2006 Farrell ..... A61F 5/0118  
602/5  
2006/0247102 A1\* 11/2006 Kupferman ..... A63B 21/0004  
482/44  
2007/0072739 A1\* 3/2007 Kaufman ..... A61H 1/0285  
482/44  
2009/0281470 A1\* 11/2009 Sandusky ..... A61F 5/0111  
602/5  
2010/0192279 A1\* 8/2010 Hunsicker ..... A41D 19/002  
2/161.2  
2010/0234182 A1\* 9/2010 Hoffman ..... A61B 5/1125  
482/8  
2010/0311546 A1 12/2010 Kupferman  
2014/0287882 A1 9/2014 Barner  
2015/0141206 A1 5/2015 James  
2015/0202514 A1 7/2015 Ervin

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7