



US00D842945S

(12) **United States Design Patent**  
**Leder**

(10) **Patent No.:** **US D842,945 S**  
(45) **Date of Patent:** **\*\* Mar. 12, 2019**

(54) **ISOMETRIC TRAINER WITH A CIRCULAR FRAME AND A SET OF SUSPENSION HANDLES**

(71) Applicant: **Brad J. Leder**, Gleason, WI (US)

(72) Inventor: **Brad J. Leder**, Gleason, WI (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/603,013**

(22) Filed: **May 5, 2017**

(51) **LOC (11) Cl.** ..... **21-02**

(52) **U.S. Cl.**  
USPC ..... **D21/691**

(58) **Field of Classification Search**  
USPC ..... D21/671, 787, 798, 826, 694, 692, 691, D21/690, 688, 687, 686, 684, 679, 673, D21/662; 482/91, 8, 44, 24, 140, 139, 482/131, 130, 129, 128, 127, 126, 125, 482/124, 123, 122, 121, 115, 112, 103, 482/87, 90, 83, 138; 473/428, 426, 483; 368/10; 135/140  
CPC ..... A63B 21/0552; A63B 21/4035; A63B 21/0557; A63B 21/0442; A63B 21/00069; A63B 21/4043; A63B 2208/0233; A63B 21/04; A63B 21/1609; A63B 21/154; A63B 21/00043; A63B 2023/006; A63B 21/00185; A63B 21/1663  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D274,539 S \* 7/1984 Bankier ..... D21/679  
4,779,867 A \* 10/1988 Hinds ..... A63B 21/0552  
482/122  
5,040,791 A \* 8/1991 Ratajac ..... A63B 69/0084  
473/426

6,685,600 B1 \* 2/2004 Ullman ..... A63B 21/156  
482/100  
9,675,829 B1 \* 6/2017 Katz ..... A63B 1/00  
D806,817 S \* 1/2018 Bentsen ..... D21/826  
D816,173 S \* 4/2018 Jackson ..... D21/691  
2005/0130814 A1 \* 6/2005 Nitta ..... A63B 1/00  
482/121  
2012/0085380 A1 \* 4/2012 Buckley ..... B63B 17/02  
135/140  
2012/0329620 A1 \* 12/2012 White ..... A63B 21/151  
482/131  
2017/0072260 A1 \* 3/2017 Jackson ..... A63B 23/1218

\* cited by examiner

*Primary Examiner* — Ryan Harvey

(74) *Attorney, Agent, or Firm* — Donald J. Ersler


(57) **CLAIM**

The ornamental design for an isometric trainer with a circular frame and a set of suspension handles, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an isometric trainer with a circular frame and a set of suspension handles incorporating my new design;  
FIG. 2 is a left side view thereof;  
FIG. 3 is a right side view thereof;  
FIG. 4 is a front view thereof;  
FIG. 5 is a rear view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom plan view thereof.  
The broken lines shown in the drawings illustrate portions of the isometric trainer with a circular frame and a set of suspension handles that form no part of the claimed invention.  
The claimed design is shown with a symbolic break in its length. The appearance of any portion of the article between the break lines forms no part of the claimed invention.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7